

Accepted Manuscript

Petrochemistry and zircon U-Pb geochronology of granitic rocks in the Wang Nam Khiao area, Nakhon Ratchasima, Thailand: Implications for petrogenesis and tectonic setting

Alongkot Fanka, Toshiaki Tsunogae, Veerote Daorerk, Yukiyasu Tsutsumi, Yusuke Takamura, Chakkaphan Sutthirat

PII: S1367-9120(17)30455-8
DOI: <http://dx.doi.org/10.1016/j.jseaes.2017.08.025>
Reference: JAES 3221



To appear in: *Journal of Asian Earth Sciences*

Received Date: 3 March 2017
Revised Date: 18 August 2017
Accepted Date: 21 August 2017

Please cite this article as: Fanka, A., Tsunogae, T., Daorerk, V., Tsutsumi, Y., Takamura, Y., Sutthirat, C., Petrochemistry and zircon U-Pb geochronology of granitic rocks in the Wang Nam Khiao area, Nakhon Ratchasima, Thailand: Implications for petrogenesis and tectonic setting, *Journal of Asian Earth Sciences* (2017), doi: <http://dx.doi.org/10.1016/j.jseaes.2017.08.025>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Petrochemistry and zircon U-Pb geochronology of granitic rocks in the Wang Nam Khiao area, Nakhon Ratchasima, Thailand: Implications for petrogenesis and tectonic setting

Alongkot Fanka^a, Toshiaki Tsunogae^{b,c}, Veerote Daorerk^a, Yukiyasu Tsutsumi^d, Yusuke Takamura^b, Chakkaphan Sutthirat^{a,e,*}

^a Department of Geology, Faculty of Science, Chulalongkorn University, Pathumwan, Bangkok 10330, Thailand

^b Graduate School of Life and Environmental Sciences, University of Tsukuba, Ibaraki 305-8572, Japan

^c Department of Geology, University of Johannesburg, Auckland Park 2006, South Africa

^d Department of Geology and Paleontology, National Museum of Nature and Science, Ibaraki 305-0005, Japan

^e Research Program of Toxic Substance Management in the Mining Industry, Center of Excellence on Hazardous Substance Management (HSM) and Research Unit of Site Remediation on Metals Management from Industry and Mining (Site Rem), Environmental Research Institute, Chulalongkorn University, Pathumwan, Bangkok 10330, Thailand

*Corresponding author e-mails: c.sutthirat@gmail.com; chakkaphan.s@chula.ac.th

Abstract

Carboniferous biotite granite, Late Permian hornblende granite, and Triassic biotite-hornblende granite, all of which belong to the Eastern Granite Belt, expose in the Wang Nam Khiao area, Nakhon Ratchasima, northeastern Thailand. The Carboniferous biotite granite is

Download English Version:

<https://daneshyari.com/en/article/8914026>

Download Persian Version:

<https://daneshyari.com/article/8914026>

[Daneshyari.com](https://daneshyari.com)