


Accepted Manuscript

Some kinematical patterns leading to the formation of similar folds

Nilo C. Bobillo-Ares, Fernando Bastida, Jesús Aller, Richard J. Lisle



PII: S0191-8141(18)30094-4

DOI: [10.1016/j.jsg.2018.04.016](https://doi.org/10.1016/j.jsg.2018.04.016)

Reference: SG 3635

To appear in: *Journal of Structural Geology*

Received Date: 15 February 2018



Revised Date: 11 April 2018

Accepted Date: 17 April 2018

Please cite this article as: Bobillo-Ares, N.C., Bastida, F., Aller, J., Lisle, R.J., Some kinematical patterns leading to the formation of similar folds, *Journal of Structural Geology* (2018), doi: 10.1016/j.jsg.2018.04.016.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.


SIMILAR FOLDS FORMED BY HETEROGENEOUS ROTATION SHEAR



Type I



Type II



Type III

Similar and sub-similar folds

Download English Version:

<https://daneshyari.com/en/article/8914404>

Download Persian Version:

<https://daneshyari.com/article/8914404>

[Daneshyari.com](https://daneshyari.com)