

Accepted Manuscript

Numerical experiments on thermal convection of highly compressible fluids with variable viscosity and thermal conductivity: Implications for mantle convection of super-Earths


Masanori Kameyama, Mayumi Yamamoto

PII: S0031-9201(17)30239-X

DOI: <https://doi.org/10.1016/j.pepi.2017.11.001>

Reference: PEPI 6101

To appear in: *Physics of the Earth and Planetary Interiors*



Please cite this article as: Kameyama, M., Yamamoto, M., Numerical experiments on thermal convection of highly compressible fluids with variable viscosity and thermal conductivity: Implications for mantle convection of super-Earths, *Physics of the Earth and Planetary Interiors* (2017), doi: <https://doi.org/10.1016/j.pepi.2017.11.001>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Numerical experiments on thermal convection of highly compressible fluids with variable viscosity and thermal conductivity: Implications for mantle convection of super-Earths

Masanori Kameyama and Mayumi Yamamoto

*Geodynamics Research Center, Ehime University, 2-5 Bunkyo-cho, Matsuyama, Ehime
790-8577, JAPAN*

Abstract

We conduct a series of numerical experiments of thermal convection of highly compressible fluids in a two-dimensional rectangular box, in order to study the mantle convection on super-Earths. The thermal conductivity and viscosity are assumed to exponentially depend on depth and temperature, respectively, while the variations in thermodynamic properties (thermal expansivity and reference density) with depth are taken to be relevant for the super-Earths with 10 times the Earth's. From our experiments we identified a distinct regime of convecting flow patterns induced by the interplay between the adiabatic temperature change and the spatial variations in viscosity and thermal conductivity. That is, for the cases with strong temperature-dependent viscosity and depth-dependent thermal conductivity, a “deep stratosphere” of stable thermal stratification is formed at the base of the mantle, in addition to thick stagnant lids at their top surfaces. In the “deep stratosphere”, the fluid motion is insignificant particularly in the vertical direction in spite of smallest viscosity owing to its strong dependence on temperature. Our finding may further imply that some of super-Earths which are lacking in mobile tectonic plates on their top surfaces may have “deep stratospheres” at the base of their mantles.

Keywords: mantle convection, super-Earths, adiabatic compression, temperature-dependent viscosity, depth-dependent thermal conductivity

Download English Version:

<https://daneshyari.com/en/article/8915750>

Download Persian Version:

<https://daneshyari.com/article/8915750>

[Daneshyari.com](https://daneshyari.com)