## Accepted Manuscript

Integrated bio- and carbon-isotope stratigraphy of the Upper Cretaceous Gurpi Formation (Iran): A new reference for the eastern Tethys and its implications for largescale correlation of stage boundaries

Mohammad J. Razmjooei, Nicolas Thibault, Anoshiravan Kani, Jaume Dinarès-Turell, Emmanuelle Pucéat, Samira Shahriari, Wiesława Radmacher, Amir Mohammad Jamali, Clemens V. Ullmann, Silke Voigt, Théophile Cocquerez

PII: S0195-6671(17)30507-4

DOI: 10.1016/j.cretres.2018.07.002

Reference: YCRES 3915

To appear in: Cretaceous Research


Received Date: 17 November 2017

Revised Date: 6 April 2018

Accepted Date: 4 July 2018

Please cite this article as: Razmjooei, M.J., Thibault, N., Kani, A., Dinarès-Turell, J., Pucéat, E., Shahriari, S., Radmacher, Wiesł., Jamali, A.M., Ullmann, C.V., Voigt, S., Cocquerez, Thé., Integrated bio- and carbon-isotope stratigraphy of the Upper Cretaceous Gurpi Formation (Iran): A new reference for the eastern Tethys and its implications for large-scale correlation of stage boundaries, *Cretaceous Research* (2018), doi: 10.1016/j.cretres.2018.07.002.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## ACCEPTED MANUSCRIPT

1	Integrated bio- and carbon isotope stratigraphy of the Upper Cretaceous
2	Gurpi Formation (Iran): A new reference for the eastern Tethys and its
3	implications for large-scale correlation of stage boundaries
4	
5	Mohammad J. Razmjooei <sup>(1,2)</sup> , Nicolas Thibault <sup>(2)</sup> , Anoshiravan Kani <sup>(1)</sup> , Jaume Dinarès-Turell
6	<sup>(3)</sup> , Emmanuelle Pucéat <sup>(4)</sup> , Samira Shahriari <sup>(1)</sup> , Wiesława Radmacher <sup>(5)</sup> , Amir Mohammad
7	Jamali <sup>(6)</sup> , Clemens V. Ullmann <sup>(7)</sup> , Silke Voigt <sup>(8)</sup> , and Théophile Cocquerez <sup>(4)</sup>
8	(1) Department of Geology, Faculty of Earth Science, Shahid Beheshti University, Tehran, Iran
9	(2) Department of Geosciences and Natural Resource Management, University of Copenhagen, Øster Voldgade 10, DK-1350
10	Copenhagen K, Denmark
11	(3) Istituto Nazionale di Geofisica e Vulcanologia (INGV), Via di Vigna Murata 605, I-00143 Rome, Italy
12	(4) Biogéosciences, UMR 6282, CNRS, University of Burgundy Franche-Comté, 6 boulevard Gabriel, Dijon F-21000, France
13	(5) ING PAN e Polish Academy of Sciences, Institute of Geological Sciences, Cracow Research Centre, BioGeoLab, ul. Senacka
14	1, 31-002 Kraków, Poland
15	(6) National Iranian Oil Company, Exploration Directorate, Tehran, Iran
16	(7) Camborne School of Mines and Environment and Sustainability Institute, University of Exeter, Penryn, TR10 9FE, UK
17	(8) Institute of Geosciences, Goethe University Frankfurt, Altenhöferallee 1, 60438 Frankfurt, Germany
18	
19	Corresponding author: Mohammad J. Razmjooei (mjr@ign.ku.dk, mj.razmjooei@gmail.com)
20	
21	Abstract

A high-resolution stratigraphic analysis of the Upper Cretaceous Gurpi Formation has beenundertaken in the Shahneshin section (Zagros Basin, Iran). New results on calcareous

Download English Version:

## https://daneshyari.com/en/article/8916166

Download Persian Version:

https://daneshyari.com/article/8916166

Daneshyari.com