


Accepted Manuscript

New insights into Cenomanian paleoceanography and climate evolution from the Tarfaya Basin, southern Morocco

Sebastian Beil, Wolfgang Kuhnt, Ann E. Holbourn, Mohamed Aquit, Sascha Flögel, El Hassane Chellai, Haddou Jabour



PII: S0195-6671(17)30217-3

DOI: [10.1016/j.cretres.2017.11.006](https://doi.org/10.1016/j.cretres.2017.11.006)

Reference: YCRES 3750

To appear in: *Cretaceous Research*

Received Date: 2 May 2017

Revised Date: 5 November 2017

Accepted Date: 7 November 2017

Please cite this article as: Beil, S., Kuhnt, W., Holbourn, A.E., Aquit, M., Flögel, S., Chellai, E.H., Jabour, H., New insights into Cenomanian paleoceanography and climate evolution from the Tarfaya Basin, southern Morocco, *Cretaceous Research* (2017), doi: 10.1016/j.cretres.2017.11.006.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**New insights into Cenomanian paleoceanography and climate evolution
from the Tarfaya Basin, southern Morocco**

Sebastian Beil¹, Wolfgang Kuhnt¹, Ann E. Holbourn¹, Mohamed Aquit^{1,2}, Sascha
Flögel³, El Hassane Chellai⁴ and Haddou Jabour⁵

¹Institute of Geosciences, Christian-Albrechts-University, Ludewig-Meyn-Str.10-
14, D-24118 Kiel, Germany

²OCP S.A., Direction de Recherche et Développement, Recherche Géologique,
46300 Youssoufia, Morocco

³GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel, Ozeanzirkulation und
Klimadynamik, Paläo-Ozeanographie, Wischhofstr. 1-3, D-24148 Kiel, Germany

⁴Department of Geology, Faculty of Sciences Semlalia, Cadi Ayyad University,
Marrakech, Morocco

⁵ONHYM, Office National des Hydrocarbures et des Mines, 5, Avenue Moulay
Hassan, BP99 Rabat 10000, Morocco

Abstract

A 325 m long continuous succession of uppermost Albian to lower Turonian
pelagic (outer shelf) deposits was recovered from a new drill site in the central
part of the Tarfaya Basin (southern Morocco). Natural gamma ray wireline

Download English Version:

<https://daneshyari.com/en/article/8916377>

Download Persian Version:

<https://daneshyari.com/article/8916377>

[Daneshyari.com](https://daneshyari.com)