


Accepted Manuscript

Two new genera of Apsilocephalidae from mid-Cretaceous Burmese amber

Qingqing Zhang, Xuankun Li, Bingqing Xu, Yimeng Zhu, Ruiqi Lu, Bo Wang, David K. Yeates



PII: S0195-6671(17)30384-1

DOI: [10.1016/j.cretres.2017.11.026](https://doi.org/10.1016/j.cretres.2017.11.026)

Reference: YCRES 3770

To appear in: *Cretaceous Research*

Received Date: 25 August 2017

Revised Date: 17 November 2017

Accepted Date: 26 November 2017

Please cite this article as: Zhang, Q., Li, X., Xu, B., Zhu, Y., Lu, R., Wang, B., Yeates, D.K., Two new genera of Apsilocephalidae from mid-Cretaceous Burmese amber, *Cretaceous Research* (2017), doi: 10.1016/j.cretres.2017.11.026.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Two new genera of Apsilocephalidae from mid-Cretaceous Burmese amber

Qingqing Zhang^{a, b*}, Xuankun Li^{c, d*}, Bingqing Xu^e, Yimeng Zhu^e, Ruiqi Lu^e, Bo Wang^{a, f} and David K. Yeates^c

^a State Key Laboratory of Palaeobiology and Stratigraphy, Nanjing Institute of Geology and Palaeontology, Chinese Academy of Sciences, 39 East Beijing Rd., Nanjing 210008, China.

^b University of Science and Technology of China, Hefei 230026, China.

^c Australian National Insect Collection, CSIRO National Research Collections Australia, Canberra, ACT 2601, Australia.

^d Research School of Biology, Australian National University, Canberra, ACT 2601, Australia.

^e High School Affiliated to Nanjing Normal University, Nanjing, 210003.

^f Key Laboratory of Zoological Systematics and Evolution, Institute of Zoology, Chinese Academy of Science, Beijing 100101, China.

Corresponding author: qqzhang@nigpas.ac.cn

* These authors contributed equally to this work.

Abstract

Apsilocephalidae is an enigmatic dipteran family erected by Nagatomi *et al* (1991), including three extant genera and three additional extinct genera from the Eocene Baltic amber, Eocene Florissant, and mid-Cretaceous Burmese amber. We describe herein two new genera, *Myanmarpsilocephala* gen. nov. and *Irwinimyia* gen. nov., from mid-Cretaceous Burmese amber. The female genitalia of *Myanmarpsilocephala* gen. nov. and male genitalia of *Irwinimyia* gen. nov. are described and illustrated. The distribution of all Apsilocephalidae species and a key to all genera of Apsilocephalidae is provided. The described diversity of Apsilocephalidae in Burmese amber strongly suggests that apsilcephalid flies

Download English Version:

<https://daneshyari.com/en/article/8916400>

Download Persian Version:

<https://daneshyari.com/article/8916400>

[Daneshyari.com](https://daneshyari.com)