Accepted Manuscript

Benthic foraminifera from the Carnarvon Ramp reveal variability in Leeuwin Current activity (Western Australia) since the Pliocene

Christian Haller, Pamela Hallock, Albert C. Hine, Christopher G. Smith

PII:	80377-8398(18)30011-2
DOI:	doi:10.1016/j.marmicro.2018.05.005
Reference:	MARMIC 1697
To appear in:	Marine Micropaleontology
Received date:	4 February 2018
Revised date:	15 May 2018
Accepted date:	16 May 2018

Please cite this article as: Christian Haller, Pamela Hallock, Albert C. Hine, Christopher G. Smith , Benthic foraminifera from the Carnarvon Ramp reveal variability in Leeuwin Current activity (Western Australia) since the Pliocene. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Marmic(2017), doi:10.1016/j.marmicro.2018.05.005

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Benthic foraminifera from the Carnarvon Ramp reveal variability in Leeuwin Current activity (Western Australia) since the Pliocene

Christian Haller^a*, Pamela Hallock^a, Albert C. Hine^a, Christopher G. Smith^b

^aCollege of Marine Science, University of South Florida, St. Petersburg, Florida, U.S.A.

^bCoastal and Marine Science Center ,U.S. Geological Survey, St. Petersburg, Florida, U.S.A.

*Corresponding author. E-mail address: challer@mail.usf.edu (C. Haller).

A CERTING

Download English Version:

https://daneshyari.com/en/article/8916486

Download Persian Version:

https://daneshyari.com/article/8916486

Daneshyari.com