

Accepted Manuscript

Changes in ultrastructural features of the foraminifera *Ammonia* spp. in response to anoxic conditions: Field and laboratory observations

K.A. Koho, C. LeKieffre, H. Nomaki, I. Salonen, E. Geslin, G. Mabilieu, L.H. Sogaard Jensen, G.-J. Reichart



PII: S0377-8398(17)30038-5
DOI: doi:[10.1016/j.marmicro.2017.10.011](https://doi.org/10.1016/j.marmicro.2017.10.011)
Reference: MARMIC 1674
To appear in: *Marine Micropaleontology*
Received date: 8 March 2017
Revised date: 26 October 2017
Accepted date: 30 October 2017

Please cite this article as: K.A. Koho, C. LeKieffre, H. Nomaki, I. Salonen, E. Geslin, G. Mabilieu, L.H. Sogaard Jensen, G.-J. Reichart , Changes in ultrastructural features of the foraminifera *Ammonia* spp. in response to anoxic conditions: Field and laboratory observations. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Marmic*(2017), doi:[10.1016/j.marmicro.2017.10.011](https://doi.org/10.1016/j.marmicro.2017.10.011)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Changes in ultrastructural features of the foraminifera *Ammonia* spp. in response to anoxic conditions: field and laboratory observations

K.A. Koho^{1*}, C. LeKieffre², H. Nomaki³, I. Salonen¹, E. Geslin⁴, G. Mabilieu⁵, L. H. Sjøgaard Jensen², G.-J. Reichart⁶

¹University of Helsinki, Department of Environmental Sciences, Viikinkaari 1, Helsinki, Finland.

²Laboratory for Biological Geochemistry, School of Architecture, Civil and Environmental Engineering (ENAC), Ecole Polytechnique Fédérale de Lausanne (EPFL), Switzerland

³Japan Agency for Marine-Earth Science and Technology (JAMSTEC), 2-15 Natsushima-cho, Yokosuka, 237-0061, Japan

⁴UMR CNRS 6112 - LPG-BIAF, University of Angers, France

⁵Service commun d'imageries et d'analyses microscopiques (SCIAM), Institut de Biologie en Santé, University of Angers, France

⁶Department of Ocean Systems, NIOZ-Royal Netherlands Institute for Sea Research and Utrecht University, Den Burg, The Netherlands.

Abstract

The ultrastructure of the living foraminiferan, *Ammonia* sp. (phylotype unknown), collected from surficial and deeper, subsurface (anoxic) sediments from the Dutch Wadden Sea, was examined to provide information on the physiology of the foraminiferal cell and its adaptive strategies to low-oxygen conditions. The observed changes in cell ultrastructure under anoxia were further compared with the cell ultrastructure of *Ammonia* sp. (phylotype T6), from oxic and anoxic incubation experiments. The ultrastructural evidence

Download English Version:

<https://daneshyari.com/en/article/8916522>

Download Persian Version:

<https://daneshyari.com/article/8916522>

[Daneshyari.com](https://daneshyari.com)