Accepted Manuscript

Article

Self-template synthesis of double-layered porous nanotubes with spatially separated photoredox surfaces for efficient photocatalytic hydrogen production

Yani Xin, Yi Huang, Kui Lin, Yifu Yu, Bin Zhang

PII: S2095-9273(18)30143-9

DOI: https://doi.org/10.1016/j.scib.2018.03.015

Reference: SCIB 368

To appear in: Science Bulletin

Received Date: 21 March 2018 Revised Date: 27 March 2018 Accepted Date: 28 March 2018



Please cite this article as: Y. Xin, Y. Huang, K. Lin, Y. Yu, B. Zhang, Self-template synthesis of double-layered porous nanotubes with spatially separated photoredox surfaces for efficient photocatalytic hydrogen production, *Science Bulletin* (2018), doi: https://doi.org/10.1016/j.scib.2018.03.015

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Article

Received 21 March, 2018; Revised 27 March 2018; Accepted 28 March 2018

Self-template synthesis of double-layered porous nanotubes with spatially separated photoredox surfaces for efficient photocatalytic hydrogen production

Yani Xin, ^{†a} Yi Huang, ^{†a} Kui Lin, ^b Yifu Yu, ^a and Bin Zhang ^{*a}

^a Department of Chemistry, School of Science, and Tianjin Key Laboratory of Molecular Optoelectronic Science, Tianjin University, and Collaborative Innovation Center of Chemical Science and Engineering (Tianjin), Tianjin 300072, China.

^b Analysis Center, School of Materials Science and Engineering, Tianjin University, Tianjin 300072, China

[†]These authors contributed equally to this work.

*Correspondence to bzhang@tju.edu.cn

Abstract

Improving charge carriers separation to achieve high photoconversion efficiency in heterogeneous photocatalysts is highly desirable. Herein, heterostructured ZnS@CdS

Download English Version:

https://daneshyari.com/en/article/8917254

Download Persian Version:

https://daneshyari.com/article/8917254

<u>Daneshyari.com</u>