Accepted Manuscript

Alfaxalone alone or combined with midazolam or ketamine in dogs: intubation dose and select physiologic effects

Kirk A. Muñoz, Sheilah A. Robertson, Deborah V. Wilson

PII: \$1467-2987(17)30089-2

DOI: 10.1016/j.vaa.2017.01.004


Reference: VAA 115

To appear in: Veterinary Anaesthesia and Analgesia

Received Date: 1 December 2016
Revised Date: 25 January 2017
Accepted Date: 26 January 2017

Please cite this article as: Muñoz KA, Robertson SA, Wilson DV, Alfaxalone alone or combined with midazolam or ketamine in dogs: intubation dose and select physiologic effects, *Veterinary Anaesthesia and Analgesia* (2017), doi: 10.1016/j.vaa.2017.01.004.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

1	RESEARCH PAPER
2	KA Muñoz et al.
3	Alfaxalone with co-induction drugs in dogs
4	Alfaxalone alone or combined with midazolam or ketamine in dogs: intubation dose
5	and select physiologic effects
6	Kirk A Muñoz ^a , Sheilah A Robertson ^a & Deborah V Wilson ^b
7	^a Small Animal Clinical Sciences, College of Veterinary Medicine, Michigan State
8	University, Michigan, USA
9	^b Large Animal Clinical Sciences, College of Veterinary Medicine, Michigan State
10	University, Michigan, USA
11	
12	Correspondence: Kirk A Muñoz, Small Animal Clinical Sciences, College of Veterinary
13	Medicine, Michigan State University, 736 Wilson Road, East Lansing, Michigan, USA,
14	48824. E-mail: munozkir@cvm.msu.edu
15	
16	
17	Abstract
18	Objectives To determine the intubation dose and select physiologic effects of alfaxalone
19	alone or in combination with midazolam or ketamine in dogs.
20	Study design Prospective, clinical study.
21	Animals Fifty-three healthy client-owned dogs [mean \pm standard deviation (SD)] 5.1 \pm
22	1.8 years, 27 ± 15.4 kg, scheduled for elective orthopedic surgery.

Download English Version:

https://daneshyari.com/en/article/8919881

Download Persian Version:

https://daneshyari.com/article/8919881

<u>Daneshyari.com</u>