Accepted Manuscript

Does altered mandibular position and dental occlusion influence upper cervical movement: A cross–sectional study in asymptomatic people

Francis Grondin, PT, DO, Toby Hall, PT, PhD, Msc, Harry von Piekartz, PT, PhD, MSc

PII: S1356-689X(16)30638-5

DOI: 10.1016/j.math.2016.06.007

Reference: YMATH 1872

To appear in: Manual Therapy

Received Date: 19 July 2015

Revised Date: 25 May 2016

Accepted Date: 7 June 2016

Please cite this article as: Grondin F, Hall T, von Piekartz H, Does altered mandibular position and dental occlusion influence upper cervical movement: A cross–sectional study in asymptomatic people, *Manual Therapy* (2016), doi: 10.1016/j.math.2016.06.007.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Does altered mandibular position and dental occlusion influence upper cervical movement: A cross–sectional study in asymptomatic people.

Francis Grondin, PT, DO Laboratory of Anatomy, Bordeaux University Hospital, Hôpital Pellegrin , place Amélie-Raba-Léon, 33076 Bordeaux, France grondin.fran@yahoo.fr

Toby Hall, PT, PhD, Msc School of Physiotherapy and Exercise Science, Curtin University, P.O. Box U1987, Perth, WA 6845, Australia halltm@netspace.net.au

Harry von Piekartz, PT, PhD, MSc University of Applied Science, Department of Rehabilitation, Osnabrück, Germany h.von-Piekartz@hs-osnabrueck.de Download English Version:

https://daneshyari.com/en/article/8924707

Download Persian Version:

https://daneshyari.com/article/8924707

Daneshyari.com