

Accepted Manuscript

Title: Nanoscale investigation by TEM and STEM-EELS of the laser induced yellowing

Authors: Marie Godet, Véronique Vergès-Belmin, Nicolas Gauquelin, Mandana Saheb, Judith Monnier, Eric Leroy, Julie Bourgon, Johan Verbeeck, Christine Andraud



PII: S0968-4328(18)30215-4
DOI: <https://doi.org/10.1016/j.micron.2018.08.006>
Reference: JMIC 2594

To appear in: *Micron*

Received date: 28-5-2018
Revised date: 17-8-2018
Accepted date: 17-8-2018

Please cite this article as: Godet M, Vergès-Belmin V, Gauquelin N, Saheb M, Monnier J, Leroy E, Bourgon J, Verbeeck J, Andraud C, Nanoscale investigation by TEM and STEM-EELS of the laser induced yellowing, *Micron* (2018), <https://doi.org/10.1016/j.micron.2018.08.006>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Nanoscale investigation by TEM and STEM-EELS of the laser induced yellowing

Marie Godet^{a,b,c,1}, Véronique Vergès-Belmin^a, Nicolas Gauquelin^d, Mandana Saheb^e, Judith Monnier^f, Eric Leroy^f, Julie Bourgon^f, Johan Verbeeck^d, Christine Andraud^b

^a Laboratoire de Recherche des Monuments Historiques (CRC-LRMH USR 3224), 29 rue de Paris 77420 Champs-sur-Marne, France ; veronique.verges-belmin@culture.gouv.fr

^b Centre de Recherche et Conservation des Collections (CRC-CRCC USR 3224), 36 rue Geoffroy-Saint-Hilaire – CP 21, 75005 Paris, France ; candraud@mnhn.fr

^c SILLTEC, Domaine Technologique de Saclay, 4, rue René Razel, 91400 Saclay, France

^d Electron microscopy for materials science (EMAT), University of Antwerp, Antwerpen, Belgium; nicolas.gauquelin@uantwerpen.be; jo.verbeeck@uantwerpen.be


^e Laboratoire Interdisciplinaire des Systèmes Atmosphériques (LISA), UMR CNRS 7583, Université Paris-Est Créteil and Université Paris-Diderot, Institut Pierre Simon Laplace, Créteil, France ; mandana.saheb@lisa.u-pec.fr;

^f Université Paris Est, ICMPE (UMR 7182), CNRS, UPEC, F-94320 Thiais, France ; monnier@icmpe.cnrs.fr; eric.leroy@u-pec.fr; bourgon@icmpe.cnrs.fr;

*corresponding author: msgodet@gmail.com (marie.godet@upmc.fr); +33660338427; present address: IMPMC, 4 place jussieu 75005 Paris, France

Declarations of interest: none

Graphical abstract (color)



Highlights:

- Laser yellowing is linked to the appearance of iron-rich nanostructures
- The iron-rich nanostructures are crystallized
- Two morphologies are observed : nano-spheres and nano-residues
- The nanostructures always contain O and Fe and occasionally Ca and S

Download English Version:

<https://daneshyari.com/en/article/8943242>

Download Persian Version:

<https://daneshyari.com/article/8943242>

[Daneshyari.com](https://daneshyari.com)