


Author's Accepted Manuscript

Barbiturates enhance itch-associated scratching in atopic dermatitis mice: a possible clue to understanding nocturnal pruritus in atopic dermatitis

Masanori Fujii, Kaori Takeuchi, Yuna Umehara, Masafumi Takeuchi, Takanori Nakayama, Sayaka Ohgami, Erika Asano, Takeshi Nabe, Susumu Ohya



PII: S0014-2999(18)30465-5
DOI: <https://doi.org/10.1016/j.ejphar.2018.08.018>
Reference: EJP71943

To appear in: *European Journal of Pharmacology*

Cite this article as: Masanori Fujii, Kaori Takeuchi, Yuna Umehara, Masafumi Takeuchi, Takanori Nakayama, Sayaka Ohgami, Erika Asano, Takeshi Nabe and Susumu Ohya, Barbiturates enhance itch-associated scratching in atopic dermatitis mice: a possible clue to understanding nocturnal pruritus in atopic dermatitis, *European Journal of Pharmacology*, <https://doi.org/10.1016/j.ejphar.2018.08.018>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Barbiturates enhance itch-associated scratching in atopic dermatitis mice: a possible clue to understanding nocturnal pruritus in atopic dermatitis

Masanori Fujii^{a,*}, Kaori Takeuchi^a, Yuna Umehara^a, Masafumi Takeuchi^a, Takanori Nakayama^a, Sayaka Ohgami^a, Erika Asano^a, Takeshi Nabe^{a,b}, Susumu Ohya^{a,c}

^aDepartment of Pharmacology, Division of Pathological Sciences, Kyoto Pharmaceutical University, 5 Nakauchi-cho, Misasagi, Yamashina, Kyoto 607-8414, Japan

^bLaboratory of Immunopharmacology, Faculty of Pharmaceutical Sciences, Setsunan University, 45-1 Nagaotoge-cho, Hirakata, Osaka 573-0101, Japan

^cDepartment of Pharmacology, Graduate School of Medical Sciences, Nagoya City University, 1 Kawasumi, Mizuho-cho, Mizuho, Nagoya 467-8601, Japan

***Corresponding author:** Masanori Fujii, Ph.D., Department of Pharmacology, Division of Pathological Sciences, Kyoto Pharmaceutical University, 5 Nakauchi-cho, Misasagi, Yamashina, Kyoto 607-8414, Japan. Phone: +81-75-595-4668. E-mail: fujii@mb.kyoto-phu.ac.jp

Download English Version:

<https://daneshyari.com/en/article/8944005>

Download Persian Version:

<https://daneshyari.com/article/8944005>

[Daneshyari.com](https://daneshyari.com)