Accepted Manuscript

The P2X4 purinergic receptor regulates hepatic myofibroblast activation during liver fibrogenesis

Camille Le Guilcher, Isabelle Garcin, Olivier Dellis, Florent Cauchois, Ali Tebbi, Isabelle Doignon, Catherine Guettier, Boris Julien, Thierry Tordjmann

PII: S0168-8278(18)32066-X


DOI: https://doi.org/10.1016/j.jhep.2018.05.020

Reference: JHEPAT 6982

To appear in: Journal of Hepatology

Received Date: 7 November 2017

Revised Date: 7 April 2018 Accepted Date: 14 May 2018



Please cite this article as: Le Guilcher, C., Garcin, I., Dellis, O., Cauchois, F., Tebbi, A., Doignon, I., Guettier, C., Julien, B., Tordjmann, T., The P2X4 purinergic receptor regulates hepatic myofibroblast activation during liver fibrogenesis, *Journal of Hepatology* (2018), doi: https://doi.org/10.1016/j.jhep.2018.05.020

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Le Guilcher et al.

The P2X4 purinergic receptor regulates hepatic myofibroblast activation during liver fibrogenesis.

Camille Le Guilcher^{1,2,3}, Isabelle Garcin^{2,3}, Olivier Dellis^{2,3}, Florent Cauchois^{2,3}, Ali Tebbi^{2,3}, Isabelle Doignon^{2,3}, Catherine Guettier⁴, Boris Julien^{2,3 *\phi}, and Thierry Tordjmann^{2,3,*\phi}.

¹Sorbonne Université, UPMC, Univ Paris 06, 4 Place Jussieu, 75005 Paris; ²INSERM U1174; ³Univ. Paris Sud, Université Paris Saclay, 91405 Orsay, France; ⁴Service d'Anatomie Pathologique, Hôpital Bicêtre, 94270 Le Kremlin-Bicêtre, France.

* BJ and TT contributed equally to this study.

^oCorresponding authors: Thierry Tordjmann and Boris Julien: FAX:+33 1 69 15 58 93;

TEL:+33 1 69 15 70 72. E-mail: thierry.tordjmann@u-psud.fr; boris.julien@u-psud.fr

Keywords: P2X4, purinergic, liver, fibrosis, myofibroblast, α-SMA.

Word count: 6174; 8 Figures. There is no conflict of interest.

Financial support. This work was supported by the ANR, Agence Nationale de la Recherche (ANR-13-BSV1-0008-01). TT was supported by AP-HP.

Abbreviations: α–SMA: alpha smooth muscle actin; ALT: alanine aminotransferase; ATP: adenosine 5'-triphosphate; BDL: bile duct ligation; CCl₄: carbon tetrachloride; ECM: extracellular matrix; H&E: hematoxylin and eosin; hMF: hepatic myofibroblasts; HSC: Hepatic stellate cell; KO: knock-out; LAMP2: lysosomal associated membrane protein 2; P2X4: P2X4 receptor; P2X7: P2X7 receptor; PH: partial hepatectomy; PBC: primary biliary cholangitis; PSC: primary sclerosing cholangitis; AC: alcoholic chronic liver disease; HCV: chronic viral hepatitis C; WT: wild type; 5-BDBD: 5-(3-Bromophenyl)-1,3-dihydro-2H-benzofuro[3,2-e]-1,4-diazepin-2-one; MCD: methionine, choline deficient diet.

Download English Version:

https://daneshyari.com/en/article/8944855

Download Persian Version:

https://daneshyari.com/article/8944855

<u>Daneshyari.com</u>