Accepted Manuscript

Surgeon-performed ultrasound for the assessment of parotid masses

Melissa Zheng, Karolina Plonowska, Madeleine Strohl, William R. Ryan

PII: S0196-0709(18)30087-5

DOI: doi:10.1016/j.amjoto.2018.04.011


Reference: YAJOT 2017

To appear in:

Received date: 10 February 2018

Please cite this article as: Melissa Zheng, Karolina Plonowska, Madeleine Strohl, William R. Ryan, Surgeon-performed ultrasound for the assessment of parotid masses. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Yajot(2017), doi:10.1016/j.amjoto.2018.04.011

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Title: Surgeon-performed ultrasound for the assessment of parotid masses

Running Title: Surgeon-performed parotid ultrasound

Melissa Zheng¹, MD, Karolina Plonowska², BA, Madeleine Strohl³, MD, William R. Ryan⁴, MD

Author affiliations:

¹Department of Otolaryngology-Head and Neck Surgery, University of Southern California, Los Angeles, California

²School of Medicine, University of California-San Francisco, San Francisco, California

³Department of Otolaryngology-Head and Neck Surgery, University of California-San Francisco, San Francisco, California.

⁴Division of Head and Neck Oncologic and Endocrine Surgery, Salivary Gland Center, Department of Otolaryngology-Head and Neck Surgery, University of California-San Francisco, San Francisco, California.

Corresponding Author:

William R. Ryan, MD 1825 4th Street, 4th Floor Box 1703 San Francisco, CA 94158 William.Ryan@ucsf.edu 650-387-6807

Source of financial support or funding:

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

Conflict of interest statement:

William R. Ryan, MD is on the Scientific Advisory Boards for Olympus and Medtronic and is a consultant for Ziteo.

Abstract presented as an oral presentation at the 2017 AAO-HNSF Annual Meeting in Chicago, IL, USA on September 10, 2017

Keywords: parotid gland, ultrasound, surgeon-performed ultrasound, facial nerve, tumor

Download English Version:

https://daneshyari.com/en/article/8945662

Download Persian Version:

https://daneshyari.com/article/8945662

<u>Daneshyari.com</u>