


## Accepted Manuscript

Total intravenous versus inhaled anesthesia in transsphenoidal tumor surgery

Suneeta Gollapudy, David M. Poetker, Jasmeet Sidhu, Matthias L. Riess



PII: S0196-0709(18)30335-1  
DOI: doi:[10.1016/j.amjoto.2018.06.018](https://doi.org/10.1016/j.amjoto.2018.06.018)  
Reference: YAJOT 2053

To appear in: *American Journal of Otolaryngology--Head and Neck Medicine and Surgery*

Received date: 14 June 2018

Please cite this article as: Suneeta Gollapudy, David M. Poetker, Jasmeet Sidhu, Matthias L. Riess , Total intravenous versus inhaled anesthesia in transsphenoidal tumor surgery. Yajot (2018), doi:[10.1016/j.amjoto.2018.06.018](https://doi.org/10.1016/j.amjoto.2018.06.018)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Total Intravenous versus Inhaled Anesthesia in Transsphenoidal Tumor Surgery**Suneeta Gollapudy MD,<sup>a</sup> David M. Poetker MD, MA,<sup>b</sup> Jasmeet Sidhu MD,<sup>a</sup>Matthias L. Riess MD, PhD<sup>c,d</sup>

<sup>a</sup>Department of Anesthesiology, Medical College of Wisconsin, 9200 W. Wisconsin Ave, Milwaukee, WI 53226, USA

<sup>b</sup>Department of Otolaryngology and Communication Sciences, Medical College of Wisconsin, 9200 W. Wisconsin Ave, Milwaukee, WI 53226, USA

<sup>c</sup>Anesthesiology, TVHS VA Medical Center, 1310 24<sup>th</sup> Avenue South Nashville, TN 37212, USA

<sup>d</sup>Departments of Anesthesiology and Pharmacology, Vanderbilt University Medical Center, 1161 21<sup>st</sup> Avenue South, Nashville, TN 37232, USA

**Corresponding author:** Matthias L. Riess MD, PhD; Professor of Anesthesiology and Pharmacology; Department of Anesthesiology, Vanderbilt University Medical Center, 1161 21<sup>st</sup> Avenue South, T4202 MCN, Nashville, TN 37232-2520; email: matthias.riess@va.gov

**Funding:** Institutional only. Unrelated research funding to MLR was received from the United States (U.S.) Department of Veterans Affairs Biomedical Laboratory R&D Service (IK2 BX001278 and Merit Review Award I01 BX003482) and the National Institutes of Health (5R01 HL123227). Neither had any influence on study design; collection, analysis or interpretation of the data; writing of the report; or the decision to submit the article for publication.

**Declarations of interest:** None.

**Short running footer:** Anesthetic Technique in Transsphenoidal Surgery (47/50 characters)

**Key words:** TIVA; volatile anesthetics; blood loss; propofol; sinus surgery

Download English Version:

<https://daneshyari.com/en/article/8945693>

Download Persian Version:

<https://daneshyari.com/article/8945693>

[Daneshyari.com](https://daneshyari.com)