

## Accepted Manuscript

Neutrophil-lymphocyte and platelet-lymphocyte ratios among adolescents with bipolar disorder: A preliminary study

Nagihan Cevher Binici , Sevay Alşen Güney ,  
F. Neslihan İnal Emiroğlu

PII: S0165-1781(18)30096-9  
DOI: <https://doi.org/10.1016/j.psychres.2018.08.065>  
Reference: PSY 11659



To appear in: *Psychiatry Research*

Received date: 14 January 2018  
Revised date: 2 August 2018  
Accepted date: 16 August 2018

Please cite this article as: Nagihan Cevher Binici , Sevay Alşen Güney , F. Neslihan İnal Emiroğlu , Neutrophil-lymphocyte and platelet-lymphocyte ratios among adolescents with bipolar disorder: A preliminary study, *Psychiatry Research* (2018), doi: <https://doi.org/10.1016/j.psychres.2018.08.065>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Highlights:**

- We investigated immune dysregulation in euthymic adolescents with BD by assessing neutrophil lymphocyte and platelet lymphocyte ratio.
- The neutrophil lymphocyte ratio and platelet lymphocyte ratio were similar between patients and healthy controls.
- Our results may suggest that euthymia is associated with a lower inflammatory response in early stages of BD.

Download English Version:

<https://daneshyari.com/en/article/8947252>

Download Persian Version:

<https://daneshyari.com/article/8947252>

[Daneshyari.com](https://daneshyari.com)