


## Accepted Manuscript

Egr-1 transactivates WNT5A gene expression to inhibit glucose-induced  $\beta$ -cell proliferation

XingEr Wu, ZeHong Li, Kang Chen, PeiHong Yin, Lei Zheng, ShiJun Sun, XiaoYu Chen



PII: S1874-9399(18)30218-9  
DOI: doi:[10.1016/j.bbagr.2018.07.006](https://doi.org/10.1016/j.bbagr.2018.07.006)  
Reference: BBAGRM 1272  
To appear in: *BBA - Gene Regulatory Mechanisms*  
Received date: 20 May 2018  
Revised date: 10 July 2018  
Accepted date: 13 July 2018

Please cite this article as: XingEr Wu, ZeHong Li, Kang Chen, PeiHong Yin, Lei Zheng, ShiJun Sun, XiaoYu Chen , Egr-1 transactivates WNT5A gene expression to inhibit glucose-induced  $\beta$ -cell proliferation. *Bbagrm* (2018), doi:[10.1016/j.bbagr.2018.07.006](https://doi.org/10.1016/j.bbagr.2018.07.006)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Egr-1 transactivates WNT5A gene expression to inhibit glucose-induced  $\beta$ -cell  
proliferation

XingEr Wu<sup>1,3\*</sup>, ZeHong Li<sup>4\*</sup>, Kang Chen<sup>5</sup>, PeiHong Yin<sup>5</sup>,

Lei Zheng<sup>3\*</sup>, ShiJun Sun<sup>1\*</sup>, XiaoYu Chen<sup>2\*</sup>

<sup>1</sup>The Molecular Diagnostic Center, Zhongshan City People's Hospital, Zhongshan 528403, Guangdong, China; <sup>2</sup>The Eighth Affiliated Hospital of Sun Yat-Sen University, Futian, 518000, Shenzhen, China; <sup>3</sup>Department of Laboratory Medicine, Nanfang Hospital, Southern Medical University, Guangzhou 510515, Guangdong, China; <sup>4</sup>Guzhen Sub-bureau, Zhongshan Public Security Bureau, Zhongshan 528400, Guangdong, China; <sup>5</sup>Zhongshan City People's Hospital, Zhongshan 528403, Guangdong, China.

\*Contributed equally to this work.

<sup>\*</sup>Corresponding authors: Xiaoyu Chen (The Eighth Affiliated Hospital of Sun Yat-Sen University, No.3025 Shennan Mid Rd., ShenZhen 518000, Guangdong, China; Phone: +86-755-83982222; Fax: +86-755-83980805; E-mail: yoyochen64@126.com), Shijun Sun (The Molecular Diagnostic Center, Zhongshan City People's Hospital, No. 2 East SunWen Road, Zhongshan 528403, Guangdong, China; Phone: +86-760-88823566; Fax: +86-760-88823566; E-mail: sun\_sj2005@sina.com) and Lei Zheng (Department of Laboratory Medicine, Nanfang Hospital, Southern Medical University, No. 1838 North Guangzhou Avenue, Guangzhou 510515, Guangdong, China; Phone: +86-20-61641888; Fax: +86-20-61641888; E-mail: nfyzhenglei@smu.edu.cn)

Download English Version:

<https://daneshyari.com/en/article/8949264>

Download Persian Version:

<https://daneshyari.com/article/8949264>

[Daneshyari.com](https://daneshyari.com)