Accepted Manuscript

Pacific white shrimp and Nile tilapia integrated in a biofloc system under different fish-stocking densities



Moisés Angel Poli, Esmeralda Chamorro Legarda, Marco Antônio de Lorenzo, Mateus Aranha Martins, Felipe do Nascimento Vieira

PII:	S0044-8486(18)30631-8
DOI:	doi:10.1016/j.aquaculture.2018.08.045
Reference:	AQUA 633487
To appear in:	aquaculture
Received date:	26 March 2018
Revised date:	19 August 2018
Accepted date:	20 August 2018

Please cite this article as: Moisés Angel Poli, Esmeralda Chamorro Legarda, Marco Antônio de Lorenzo, Mateus Aranha Martins, Felipe do Nascimento Vieira, Pacific white shrimp and Nile tilapia integrated in a biofloc system under different fish-stocking densities. Aqua (2018), doi:10.1016/j.aquaculture.2018.08.045

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Pacific white shrimp and Nile tilapia integrated in a biofloc system under different fishstocking densities

Moisés Angel Poli^a, Esmeralda Chamorro Legarda^a, Marco Antônio de Lorenzo^a, Mateus Aranha Martins^a, Felipe do Nascimento Vieira^{*a}

^a Laboratório de Camarões Marinhos, Departamento de Aquicultura, Universidade Federal de Santa Catarina, Rua dos Coroas 503, CEP 88061-600, Barra da Lagoa, Florianópolis, Santa Catarina, Brasil.

* Corresponding author.

Email address: felipe.vieira@ufsc.br phone number: +554837214118

Scheren Schere

Download English Version:

https://daneshyari.com/en/article/8950024

Download Persian Version:

https://daneshyari.com/article/8950024

Daneshyari.com