Accepted Manuscript

Sporadic late-onset nemaline myopathy with monoclonal gammopathy of undetermined significance (SLONM-MGUS): An alternative treatment using cyclophosphamide-thalidomide-dexamethasone (CTD) regimen

Theerawat Kumutpongpanich, Weerapat Owattanapanich, Jantima Tanboon, Ichizo Nishino, Kanokwan Boonyapisit

PII: S0960-8966(18)30048-8 DOI: 10.1016/j.nmd.2018.04.011

Reference: NMD 3546

To appear in: Neuromuscular Disorders

Received date: 24 January 2018 Revised date: 23 April 2018 Accepted date: 27 April 2018

Please cite this article as: Theerawat Kumutpongpanich, Weerapat Owattanapanich, Jantima Tanboon, Ichizo Nishino, Kanokwan Boonyapisit, Sporadic late-onset nemaline myopathy with monoclonal gammopathy of undetermined significance (SLONM-MGUS): An alternative treatment using cyclophosphamide-thalidomide-dexamethasone (CTD) regimen, *Neuromuscular Disorders* (2018), doi: 10.1016/j.nmd.2018.04.011

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- We describe a case of SLONM-MGUS
- A possible effective alternative treatment regimen for SLONM-MGUS is suggested.
- Follow-up is needed to determine the long-term effectiveness of the treatment.

Download English Version:

https://daneshyari.com/en/article/8951478

Download Persian Version:

https://daneshyari.com/article/8951478

<u>Daneshyari.com</u>