Title: Hippo/YAP signaling pathway mitigates blood-brain barrier disruption after cerebral ischemia/reperfusion injury

Authors: Pian Gong, Zhan Zhang, Changlin Zou, Qi Tian, Xuemei Chen, Michael Hong, Xi Liu, Qianxue Chen, Zhou Xu, Mingchang Li, Jian Wang

PII: S0166-4328(18)30816-7
DOI: https://doi.org/10.1016/j.bbr.2018.08.003
Reference: BBR 11527

To appear in: *Behavioural Brain Research*

Received date: 6-6-2018
Revised date: 23-7-2018
Accepted date: 3-8-2018

Please cite this article as: Gong P, Zhang Z, Zou C, Tian Q, Chen X, Hong M, Liu X, Chen Q, Xu Z, Li M, Wang J, Hippo/YAP signaling pathway mitigates blood-brain barrier disruption after cerebral ischemia/reperfusion injury, *Behavioural Brain Research* (2018), https://doi.org/10.1016/j.bbr.2018.08.003

Behavioral Brain Research (BBR_2018_738R1)

Hippo/YAP signaling pathway mitigates blood-brain barrier disruption after cerebral ischemia/reperfusion injury

Pian Gong, MD[a]*, Zhan Zhang, MD, PhD[b]*, Changlin Zou, MD[a], Qi Tian, MD[a], XuemeiChen[c], Michael Hong[d], Xi Liu[d], Qianxue Chen, MD, PhD[a], Zhou Xu, MD, PhD[a], Mingchang Li, MD, PhD[a], Jian Wang, MD, PhD[d]

[a]Department of Neurosurgery, Renmin Hospital of Wuhan University, Wuhan, Hubei, 430060, P. R. China.

[b]Department of Respiratory Medicine, Renmin Hospital of Wuhan University, Wuhan, Hubei, 430060, P. R. China.

[c]Department of Anatomy, College of Basic Medical Sciences, Zhengzhou University, Zhengzhou 450000, Henan, China

[d]Department of Anesthesiology and Critical Care Medicine, the Johns Hopkins University School of Medicine, Baltimore, MD 21205, USA

*Equal contribution

Corresponding authors

Mingchang Li,MD, PhD,Department of Neurosurgery,Renmin Hospital of Wuhan University, Wuhan, Hubei, 430060, P. R. China (Phone: (86)027-88041911-82237;E-mail: Mingcli@whu.edu.cn)

Jian Wang, MD, PhD, Department of Anesthesiology and Critical Care Medicine, Johns Hopkins University School of Medicine, 720 Rutland Ave, Ross Bldg 370B, Baltimore, MD 21205 (Phone: 443-287-5490; jwang79@jhmi.edu)

Highlights

•YAP and TAZ decrease after ischemic/reperfusion injury.

•Activation of YAP or TAZ mediates protection against blood-brain barrier disruption.

•The Hippo/YAP signaling pathway is involved in ischemic/reperfusion injury.