

Accepted Manuscript

Prevalence and Correlates of Low Pain Interference among Patients with High Pain Intensity who are Prescribed Long-Term Opioid Therapy

Melissa H. Adams , Steven K. Dobscha , Ning X. Smith ,
Bobbi Jo Yarborough , Richard A. Deyo , Benjamin J. Morasco

PII: S1526-5900(18)30155-X
DOI: [10.1016/j.jpain.2018.04.005](https://doi.org/10.1016/j.jpain.2018.04.005)
Reference: YJPAI 3571



To appear in: *Journal of Pain*

Received date: 10 January 2018
Revised date: 9 March 2018
Accepted date: 6 April 2018

Please cite this article as: Melissa H. Adams , Steven K. Dobscha , Ning X. Smith , Bobbi Jo Yarborough , Richard A. Deyo , Benjamin J. Morasco , Prevalence and Correlates of Low Pain Interference among Patients with High Pain Intensity who are Prescribed Long-Term Opioid Therapy, *Journal of Pain* (2018), doi: [10.1016/j.jpain.2018.04.005](https://doi.org/10.1016/j.jpain.2018.04.005)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- We assessed pain interference among patients with high pain intensity.
- Those with lower pain interference had fewer mental health symptoms.
- Depressive symptoms and pain self-efficacy were associated with pain interference.
- Interventions targeting pain self-efficacy and depression are recommended.

Download English Version:

<https://daneshyari.com/en/article/8956765>

Download Persian Version:

<https://daneshyari.com/article/8956765>

[Daneshyari.com](https://daneshyari.com)