

Accepted Manuscript

Association between typical electrocardiographic abnormalities and NT-proBNP elevation in a large cohort of patients with Chagas disease from endemic area

Bruno Oliveira de Figueiredo Brito, Marcelo Martins Pinto Filho, Clareci Silva Cardoso, Claudia Di Lorenzo Oliveira, Ariela Mota Ferreira, Lea Campos de Oliveira, Paulo Gomes, Maria do Carmo Pereira Nunes, Ester Cerdeira Sabino, Antonio Luiz Pinho Ribeiro



PII: S0022-0736(18)30415-1
DOI: doi:[10.1016/j.jelectrocard.2018.08.031](https://doi.org/10.1016/j.jelectrocard.2018.08.031)
Reference: YJELC 52715

To appear in: *Journal of Electrocardiology*

Please cite this article as: Bruno Oliveira de Figueiredo Brito, Marcelo Martins Pinto Filho, Clareci Silva Cardoso, Claudia Di Lorenzo Oliveira, Ariela Mota Ferreira, Lea Campos de Oliveira, Paulo Gomes, Maria do Carmo Pereira Nunes, Ester Cerdeira Sabino, Antonio Luiz Pinho Ribeiro , Association between typical electrocardiographic abnormalities and NT-proBNP elevation in a large cohort of patients with Chagas disease from endemic area. Yjelic (2018), doi:[10.1016/j.jelectrocard.2018.08.031](https://doi.org/10.1016/j.jelectrocard.2018.08.031)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title: Association between typical electrocardiographic abnormalities and NT-proBNP elevation in a large cohort of patients with Chagas disease from endemic area

Authors:

Bruno Oliveira de Figueiredo Brito¹, Marcelo Martins Pinto Filho¹, Clareci Silva Cardoso², Claudia Di Lorenzo Oliveira², Ariela Mota Ferreira³, Lea Campos de Oliveira⁴, Paulo Gomes⁵, Maria do Carmo Pereira Nunes¹, Ester Cerdeira Sabino⁴, Antonio Luiz Pinho Ribeiro^{1,5}

¹ Programa de Pós-graduação Infectologia e Medicina Tropical, Faculdade de Medicina da Universidade Federal de Minas Gerais, Minas Gerais, Brazil; ² Federal University of São João del-Rei. Divinópolis. Minas Gerais, Brazil; ³ State University of Montes Claros, Montes Claros, Minas Gerais, Brazil; ⁴ Department of Infectious Diseases, School of Medicine and Institute of Tropical Medicine, University of São Paulo, São Paulo, Brazil; ⁵ Centro de Telessaúde do Hospital das Clínicas da Universidade Federal de Minas Gerais

Declarations of interest: none

The SaMi-Trop cohort study is supported by The National Institutes of Health-NIH, P50 AI098461-02.

A.L.P.R. receives unrestricted grants from CNPq (Conselho Nacional de Desenvolvimento Científico e Tecnológico, Brazil) and FAPEMIG (Fundação de Amparo à Pesquisa de Minas Gerais, Brazil).

Corresponding author: Antonio L. Ribeiro, MD, ScD.

Rua Campanha, 98/101, 30310-770, Belo Horizonte, Minas Gerais, Brazil

Phone: + 55 31 32879213 **Fax:** + 55 31 32847298

E-mail: tom@hc.ufmg.br

Download English Version:

<https://daneshyari.com/en/article/8957240>

Download Persian Version:

<https://daneshyari.com/article/8957240>

[Daneshyari.com](https://daneshyari.com)