

# Accepted Manuscript

Propofol versus Remifentanyl, Which one is More Effective in Reducing Blood Loss during Orthognathic Surgery? (A randomized clinical trial)

Majid Eshghpour, DDS, Sahand Samieirad, DDS, Alireza Sharifian Attar, MD, Hamed Kermani, DDS, Sadaf Seddigh, DDS



PII: S0278-2391(18)30437-3

DOI: [10.1016/j.joms.2018.05.012](https://doi.org/10.1016/j.joms.2018.05.012)

Reference: YJOMS 58285

To appear in: *Journal of Oral and Maxillofacial Surgery*

Received Date: 14 October 2017

Revised Date: 14 April 2018

Accepted Date: 8 May 2018

Please cite this article as: Eshghpour M, Samieirad S, Attar AS, Kermani H, Seddigh S, Propofol versus Remifentanyl, Which one is More Effective in Reducing Blood Loss during Orthognathic Surgery? (A randomized clinical trial), *Journal of Oral and Maxillofacial Surgery* (2018), doi: 10.1016/j.joms.2018.05.012.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Title:**

**Propofol versus Remifentanyl, Which one is More Effective in Reducing Blood Loss during Orthognathic Surgery? (A randomized clinical trial)**

**Running title: Propofol versus Remifentanyl for Blood Loss Prevention in Orthosurgery.**

**Authors:**

Majid Eshghpour, DDS <sup>1</sup>, Sahand Samieirad DDS <sup>2</sup>, Alireza Sharifian Attar, MD <sup>3</sup>, Hamed Kermani, DDS <sup>4</sup>, Sadaf Seddigh, DDS <sup>5</sup>.

1. Associate Professor, Oral and maxillofacial diseases research center, Mashhad University of Medical Sciences, Mashhad, Iran.

Mobile: +989153078107, Email: [eshghpourm@mums.ac.ir](mailto:eshghpourm@mums.ac.ir)

2. Assistant Professor, Assistant Professor, Oral and maxillofacial diseases research center, Mashhad University of Medical Sciences, Mashhad, Iran.

Mobile: 09128137859, Email: [samieerads@mums.ac.ir](mailto:samieerads@mums.ac.ir)

3. Associate Professor, Endoscopic & Minimally Invasive Surgery Research Center, Department of Anesthesiology, Qaem Hospital, Faculty of Medicine, Mashhad University Of Medical Sciences, Mashhad, Iran . Mobile: +989153078107, Email: [sharifianaa@mums.ac.ir](mailto:sharifianaa@mums.ac.ir)

4. Assistant Professor, Assistant Professor, Oral and maxillofacial diseases research center, Mashhad University of Medical Sciences, Mashhad, Iran

Mobile: +989128361094, Email: [Hamedkermani1980@Gmail.com](mailto:Hamedkermani1980@Gmail.com)

5. Sadaf Seddigh (corresponding author)

Dental student at MUMS, Student research committee, Dentistry faculty, Mashhad University of Medical Sciences, Mashhad, Iran.

Mobile: +989153197309, Email address: [sadafseddigh@ymail.com](mailto:sadafseddigh@ymail.com)

Address: Mashhad dental school, Ferdowsi Campus, Azadi square, Mashhad, Iran, P.O. Box: 91779-48959

Tel: +9851-38829501-15 Fax: +98513-8829500

Download English Version:

<https://daneshyari.com/en/article/8957513>

Download Persian Version:

<https://daneshyari.com/article/8957513>

[Daneshyari.com](https://daneshyari.com)