

Accepted Manuscript

Title: Pain is an Independent Risk Factor for Failed Global Endometrial Ablation

Author: Meagan S. Cramer, Jordan S. Klebanoff, Matthew K. Hoffman

PII: S1553-4650(18)30059-1
DOI: <https://doi.org/10.1016/j.jmig.2018.01.020>
Reference: JMIG 3407

To appear in: *The Journal of Minimally Invasive Gynecology*

Received date: 6-12-2017
Revised date: 17-1-2018
Accepted date: 18-1-2018

Please cite this article as: Meagan S. Cramer, Jordan S. Klebanoff, Matthew K. Hoffman, Pain is an Independent Risk Factor for Failed Global Endometrial Ablation, *The Journal of Minimally Invasive Gynecology* (2018), <https://doi.org/10.1016/j.jmig.2018.01.020>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



1 **Original Article**

2
3 **Pain is an Independent Risk Factor for Failed Global Endometrial Ablation**

4
5 Meagan S. Cramer, MD, Jordan S. Klebanoff, MD, Matthew K. Hoffman, MD, MPH

6
7 *From the Department of Obstetrics and Gynecology, Christiana Care Health System, Newark,*
8 *Delaware*

9
10 Prior Presentation: Some of the results from this study were recently presented at the AAGL
11 Global Congress on Minimally Invasive Gynecology 2017 in National Harbor, MD, on November
12 14, 2017.

13
14 Disclosure Statement: None of the authors have any conflicts of interest to disclose.

15
16 Source of Funding: This study was supported through internal funding only.

17
18 Corresponding author: Meagan S. Cramer, MD, Department of Obstetrics and Gynecology,
19 Christiana Care Health System, 4755 Ogletown-Stanton Road, Newark, DE 19713
20 E-mail: meagan.s.cramer@christianacare.org

21
22 IRB Information: CCC# 37036, DDD#603665, approved 4/3/2017

23
24 Word count:

- 25 - Abstract: 286 words
 - 26 - Introduction: 333 words
 - 27 - Methods: 443 words
 - 28 - Results: 702 words
 - 29 - Discussion: 878 words
- 30

31

32

33 **Precis:**

34 Pelvic pain prior to global endometrial ablation is an independent risk factor for subsequent
35 hysterectomy (19.2% vs. 13.5%, $p=.001$).

36

37

Download English Version:

<https://daneshyari.com/en/article/8958330>

Download Persian Version:

<https://daneshyari.com/article/8958330>

[Daneshyari.com](https://daneshyari.com)