Accepted Manuscript

Ultrasonography for classifying lymphatic sclerosis types and deciding optimal sites of lymphatic-venous anastomosis in lymphoedema patients


Makoto Mihara M.D., Hisako Hara, Yoshihisa Kawakami M.D.

PII: S1748-6815(18)30166-9 DOI: 10.1016/j.bjps.2018.05.012


Reference: PRAS 5672

To appear in: Journal of Plastic, Reconstructive & Aesthetic Surgery

Received date: 1 May 2017 Revised date: 15 April 2018 Accepted date: 26 May 2018



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Ultrasonography for classifying lymphatic sclerosis types and deciding optimal sites of lymphatic-venous anastomosis in lymphoedema patients

Author list: Makoto **Mihara**, M.D.; ¹⁻³* Hisako **Hara**, M.D., Ph.D.; ¹* Yoshihisa Kawakami M.D.

*equal contribution

- 1. Department of Lymphatic and Reconstructive Surgery, Saiseikai Kawaguchi General Hospital, Saitama, Japan
- 2. Department of Plastic and Reconstructive Surgery, Nadogaya Hospital, Chiba, Japan
- 3. Department of Plastic and Reconstructive Surgery, Fukuoka University, Fukuoka, Japan

Short Running Head:

Lymphatic duct ultrasound in lymphoedema

Download English Version:

https://daneshyari.com/en/article/8958843

Download Persian Version:

https://daneshyari.com/article/8958843

<u>Daneshyari.com</u>