## **Accepted Manuscript**

Volume change in the rectus abdominis muscle after deep inferior epigastric perforator flap harvest

Hyun Ho Han M.D.Ph.D., Min Kyu Kang M.D., Sin Young Song M.D., Hyung Chul Lee M.D., Eun Key Kim M.D.Ph.D., Jin Sup Eom M.D.Ph.D.

PII: S1748-6815(18)30217-1 DOI:

Reference:

To appear in:

Reconstructive & Aesthetic Surgery (2018), doi: 10.1016/j.bjps.2018.06.003

Received date: 4 May 2018 Revised date: Accepted date: 10 June 2018



Please cite this article as: Hyun Ho Han M.D.Ph.D., Min Kyu Kang M.D., Sin Young Song M.D., Hyung Chul Lee M.D., Eun Key Kim M.D.Ph.D., Jin Sup Eom M.D.Ph.D., Volume change in the rectus abdominis muscle after deep inferior epigastric perforator flap harvest, Journal of Plastic,

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## ACCEPTED MANUSCRIPT

Volume change in the rectus abdominis muscle after deep inferior epigastric perforator flap harvest

Hyun Ho Han, M.D., Ph.D., Min Kyu Kang, M.D., Sin Young Song, M.D., Hyung Chul Lee, M.D., Eun Key, Kim, M.D., Ph.D., Jin Sup Eom, M.D., Ph.D.

Department of Plastic Surgery, Asan Medical Center, University of Ulsan, College of Medicine, Seoul, South Korea

Corresponding author: Jin Sup Eom, M.D., Ph.D.,

Department of Plastic Surgery, Asan Medical Center, University of Ulsan, School of Medicine,

88, Olympic-Ro 43-Gil, Songpa-Gu, Seoul, Korea. 138-736

Tel: 82-2-3010-3602; Fax: 82-2-476-7471; E-mail: jinsupp@amc.seoul.kr



## Download English Version:

## https://daneshyari.com/en/article/8958848

Download Persian Version:

https://daneshyari.com/article/8958848

<u>Daneshyari.com</u>