

PD-1 deficiency is not sufficient to induce myeloid mobilization to the brain or alter the inflammatory profile during chronic neurodegeneration

J. Obst, R. Mancuso, E. Simon, D. Gomez-Nicola

PII: S0889-1591(18)30416-1
DOI: https://doi.org/10.1016/j.bbi.2018.08.006
Reference: YBRBI 3467

To appear in: *Brain, Behavior, and Immunity*

Received Date: 20 April 2018
Revised Date: 18 July 2018
Accepted Date: 3 August 2018

Please cite this article as: Obst, J., Mancuso, R., Simon, E., Gomez-Nicola, D., PD-1 deficiency is not sufficient to induce myeloid mobilization to the brain or alter the inflammatory profile during chronic neurodegeneration, *Brain, Behavior, and Immunity* (2018), doi: https://doi.org/10.1016/j.bbi.2018.08.006

PD-1 deficiency is not sufficient to induce myeloid mobilization to the brain or alter the inflammatory profile during chronic neurodegeneration

Obst J[1], Mancuso R[1], Simon E[1], Gomez-Nicola D[1*]

[1] Biological Sciences, University of Southampton, United Kingdom

*Corresponding author: Diego Gomez-Nicola. Biological Sciences. University of Southampton. South Lab&Path Block. Mail Point 840, LD80C. Southampton General Hospital. Tremona Road. SO166YD. Southampton, United Kingdom. e-mail: d.gomez-nicola@soton.ac.uk

The authors have declared that no conflict of interest exists.