

Accepted Manuscript

Title: High-resolution turbulent flow chromatography

Author: Fabrice Gritti

PII: S0021-9673(18)30943-9

DOI: <https://doi.org/doi:10.1016/j.chroma.2018.07.059>

Reference: CHROMA 359571

To appear in: *Journal of Chromatography A*

Received date: 4-6-2018

Revised date: 20-7-2018

Accepted date: 24-7-2018

Please cite this article as: Fabrice Gritti, High-resolution turbulent flow chromatography, *Journal of Chromatography A* (2018), <https://doi.org/10.1016/j.chroma.2018.07.059>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Dispersion in turbulent flow of carbon dioxide is studied under retentive conditions

Performance is still limited by the slow mass transfer in the turbulent eluent

This limitation is due to slow sample transport in the viscous and buffer layers

Column efficiency is rapidly decreasing with increasing retention factor

Practical advantage of turbulent flow chromatography is demonstrated for $k' < 0.2$

Accepted Manuscript

Download English Version:

<https://daneshyari.com/en/article/8961165>

Download Persian Version:

<https://daneshyari.com/article/8961165>

[Daneshyari.com](https://daneshyari.com)