

Accepted Manuscript

A simple, sensitive and reliable LC-MS/MS method for the determination of 7-bromo-5-chloroquinolin-8-ol (CLBQ14), a potent and selective inhibitor of methionine aminopeptidases: Application to pharmacokinetic studies

Oscar Ekpenyong, Candace Cooper, Jing Ma, Dong Liang, Omonike Olaleye, Huan Xie

PII: S1570-0232(18)30474-4
DOI: doi:[10.1016/j.jchromb.2018.08.027](https://doi.org/10.1016/j.jchromb.2018.08.027)
Reference: CHROMB 21343

To appear in: *Journal of Chromatography B*

Received date: 26 March 2018
Revised date: 23 August 2018
Accepted date: 25 August 2018

Please cite this article as: Oscar Ekpenyong, Candace Cooper, Jing Ma, Dong Liang, Omonike Olaleye, Huan Xie , A simple, sensitive and reliable LC-MS/MS method for the determination of 7-bromo-5-chloroquinolin-8-ol (CLBQ14), a potent and selective inhibitor of methionine aminopeptidases: Application to pharmacokinetic studies. *Chromb* (2018), doi:[10.1016/j.jchromb.2018.08.027](https://doi.org/10.1016/j.jchromb.2018.08.027)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Title Page

A Simple, Sensitive and Reliable LC-MS/MS Method for the Determination of 7-bromo-5-chloroquinolin-8-ol (CLBQ14), A Potent and Selective Inhibitor of Methionine Aminopeptidases: Application to Pharmacokinetic Studies.

Oscar Ekpenyong^{1,2}, Candace Cooper¹, Jing Ma¹, Dong Liang¹, Omonike Olaleye¹
and Huan Xie*¹

¹Department of Pharmaceutical and Environmental Health Sciences, College of Pharmacy and Health Sciences, Texas Southern University, Houston, TX, USA

²Current Affiliations: Department of Pharmacokinetics, Pharmacodynamics & Drug Metabolism, Merck Research Laboratories, South San Francisco, CA, USA

*Corresponding author at: Department of Pharmaceutical and Environmental Health Sciences, College of Pharmacy and Health Sciences, Texas Southern University, 3100 Cleburne Street, Houston, TX 77004, USA.

E-mail: huan.xie@tsu.edu (H. Xie).

Keywords

8-hydroxyquinoline; LC-MS/MS; bio-analytical method development; pharmacokinetics

Download English Version:

<https://daneshyari.com/en/article/8961174>

Download Persian Version:

<https://daneshyari.com/article/8961174>

[Daneshyari.com](https://daneshyari.com)