

Accepted Manuscript

Synthesis of poly(*N*-isopropylacrylamide-*co*-2-hydroxyethyl methacrylate) with low polydispersity using ultrasonic irradiation

Masaki Kubo, Takuya Sone, Masahiro Ohata, Takao Tsukada

PII: S1350-4177(18)30450-4

DOI: <https://doi.org/10.1016/j.ultsonch.2018.08.022>

Reference: ULTSON 4286

To appear in: *Ultrasonics Sonochemistry*

Received Date: 24 March 2018

Revised Date: 10 July 2018

Accepted Date: 20 August 2018

Please cite this article as: M. Kubo, T. Sone, M. Ohata, T. Tsukada, Synthesis of poly(*N*-isopropylacrylamide-*co*-2-hydroxyethyl methacrylate) with low polydispersity using ultrasonic irradiation, *Ultrasonics Sonochemistry* (2018), doi: <https://doi.org/10.1016/j.ultsonch.2018.08.022>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Synthesis of poly(*N*-isopropylacrylamide-*co*-2-hydroxyethyl methacrylate) with low polydispersity using ultrasonic irradiation

Masaki Kubo^{*}, Takuya Sone, Masahiro Ohata, Takao Tsukada

Department of Chemical Engineering, Tohoku University,
6-6-07 Aramaki, Aoba-ku, Sendai 980-8579, Japan

* Corresponding Author

Masaki Kubo

Department of Chemical Engineering, Tohoku University,

6-6-07 Aramaki, Aoba-ku, Sendai 980-8579, Japan

Phone: +81-22-795-7261

Fax: +81-22-795-7261

E-mail : m.kubo@tohoku.ac.jp

Download English Version:

<https://daneshyari.com/en/article/8961247>

Download Persian Version:

<https://daneshyari.com/article/8961247>

[Daneshyari.com](https://daneshyari.com)