

Accepted Manuscript

1,8-Naphthalimide-based highly emissive luminogen with reversible mechanofluorochromism and good cell imaging characteristics

Aling Tang, Zhao Chen, Gang Liu, Shouzhi Pu

PII: S0040-4039(18)31032-3
DOI: <https://doi.org/10.1016/j.tetlet.2018.08.040>
Reference: TETL 50215

To appear in: *Tetrahedron Letters*

Received Date: 19 June 2018
Revised Date: 26 July 2018
Accepted Date: 21 August 2018

Please cite this article as: Tang, A., Chen, Z., Liu, G., Pu, S., 1,8-Naphthalimide-based highly emissive luminogen with reversible mechanofluorochromism and good cell imaging characteristics, *Tetrahedron Letters* (2018), doi: <https://doi.org/10.1016/j.tetlet.2018.08.040>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Graphical Abstract


To create your abstract, type over the instructions in the template box below.
Fonts or abstract dimensions should not be changed or altered.

1,8-Naphthalimide-based highly emissive luminogen with reversible mechanofluorochromism and good cell imaging characteristics†

Aling Tang, Zhao Chen*, Gang Liu and Shouzhi Pu*

Jiangxi Key Laboratory of Organic Chemistry, Jiangxi Science and Technology Normal University, Nanchang 330013, PR China

A highly emissive 1,8-naphthalimide-based organic dye was synthesized. Interestingly, the luminogen exhibited obvious mechanofluorochromism behavior and good cell imaging performance.



Download English Version:

<https://daneshyari.com/en/article/8961379>

Download Persian Version:

<https://daneshyari.com/article/8961379>

[Daneshyari.com](https://daneshyari.com)