# Author's Accepted Manuscript



www.elsevier.com

Methylglyoxal – a signaling molecule in plant abiotic stress responses

Mohammad Golam Mostofa, Ajit Ghosh, Zhong-Guang Li, Md. Nurealam Siddiqui, Masayuki Fujita, Lam-Son Phan Tran

PII: S0891-5849(18)30111-4
DOI: https://doi.org/10.1016/j.freeradbiomed.2018.03.009
Reference: FRB13656

To appear in: *Free Radical Biology and Medicine*

Received date: 2 October 2017
Revised date: 16 February 2018
Accepted date: 6 March 2018

Cite this article as: Mohammad Golam Mostofa, Ajit Ghosh, Zhong-Guang Li, Md. Nurealam Siddiqui, Masayuki Fujita and Lam-Son Phan Tran, Methylglyoxal – a signaling molecule in plant abiotic stress responses, *Free Radical Biology and Medicine,* https://doi.org/10.1016/j.freeradbiomed.2018.03.009

# Methylglyoxal – a signaling molecule in plant abiotic stress responses

Mohammad Golam Mostofa[a,1], Ajit Ghosh[b], Zhong-Guang Li[c], Md. Nurealam Siddiqui[a], Masayuki Fujita[d] and Lam-Son Phan Tran[e,f]*

[a] Department of Biochemistry and Molecular Biology, Bangabandhu Sheikh Mujibur Rahman Agricultural University, Gazipur-1706, Bangladesh.

[b] Department of Biochemistry and Molecular Biology, Shahjalal University of Science and Technology, Sylhet, Bangladesh.

[c] School of Life Sciences, Yunnan Normal University, Kunming 650500, P.R. China.

[d] Laboratory of Plant Stress Responses, Department of Applied Biological Science, Faculty of Agriculture, Kagawa University, Miki, Kagawa 761-0795, Japan.

[e] Plant Stress Research Group, Faculty of Applied Sciences, Ton Duc Thang University, Ho Chi Minh City, 700000, Vietnam.

[f] Signaling Pathway Research Unit, RIKEN Center for Sustainable Resource Science, 1-7-22, Suehiro-cho, Tsurumi, Yokohama 230-0045, Japan.

mostofa@bsmrau.edu.bd (MG Mostofa)
nuralambmb@bsmrau.edu.bd (MN Siddiqui).
ajitghoshbd@gmail.com (A Ghosh).
zhongguang_li@163.com (ZG Li).
fujita@ag.kagawa-u.ac.jp, (M Fujita).
sontran@tdt.edu.vn;
son.tran@riken.jp (LSP Tran)

***To whom correspondence should be address:** Tel. (81)-45-503-9593; Fax (81)-45-503-9591.



## ABSTRACT

Abiotic stresses are the most common harmful factors, adversely affecting all aspects of plants' life. Plants have to elicit appropriate responses against multifaceted effects of abiotic stresses by reprogramming various cellular processes. Signaling molecules play vital roles in sensing

[1] **Current address**: Signaling Pathway Research Unit, RIKEN Center for Sustainable Resource Science, 1-7-22, Suehiro-cho, Tsurumi, Yokohama 230-0045, Japan.