

Title: Hormone-dependent breast cancer: Targeting autophagy and PI3K overcomes Exemestane-acquired resistance

Authors: Cristina Amaral, Tiago Vieira Augusto, Elisiário Tavares-da-Silva, Fernanda M.F. Roleira, Georgina Correia-da-Silva, Natércia Teixeira

PII: S0960-0760(18)30290-5
DOI: https://doi.org/10.1016/j.jsbmb.2018.05.006
Reference: SBMB 5155

To appear in: *Journal of Steroid Biochemistry & Molecular Biology*

Received date: 21-11-2017
Revised date: 26-3-2018
Accepted date: 20-5-2018

Please cite this article as: Amaral C, Augusto TV, Tavares-da-Silva E, Roleira FMF, Correia-da-Silva G, Teixeira N, Hormone-dependent breast cancer: Targeting autophagy and PI3K overcomes Exemestane-acquired resistance, *Journal of Steroid Biochemistry and Molecular Biology* (2018), https://doi.org/10.1016/j.jsbmb.2018.05.006

Hormone-dependent breast cancer: Targeting autophagy and PI3K overcomes Exemestane-acquired resistance

Cristina Amaral [a#], Tiago Vieira Augusto [a#], Elisiário Tavares-da-Silva [b,c], Fernanda M. F. Roleira [b,c], Georgina Correia-da-Silva [a*], Natércia Teixeira [a*]

[a] UCIBIO-REQUIMTE, Laboratory of Biochemistry, Department of Biological Sciences, Faculty of Pharmacy, University of Porto, Rua Jorge Viterbo Ferreira, n° 228, 4050-313 Porto, Portugal.

[b] Pharmaceutical Chemistry Group, Faculty of Pharmacy, University of Coimbra, 3000-548 Coimbra, Portugal.

[c] CIEPQPF Centre for Chemical Processes Engineering and Forest Products, University of Coimbra, 3030-790 Coimbra, Portugal.

# both authors contributed equally to this work

*Corresponding authors:
Natércia Teixeira; Georgina Correia-da-Silva
Laboratory of Biochemistry, Department of Biological Sciences, Faculty of Pharmacy, University of Porto, Rua Jorge Viterbo Ferreira, nº 228, 4050-313 Porto, Portugal.
Tel.: +351 220428560; fax: +351 226093390.
E-mail address: natercia@ff.up.pt (Natércia Teixeira);
george@ff.up.pt (Georgina Correia-da-Silva);

Highlights:

- ✓ Exemestane induces cytoprotective autophagy in resistant breast cancer cells;
- ✓ Targeting autophagy and PI3K pathway re-sensitize resistant breast cancer cells to Exemestane;
- ✓ Autophagy is an attractive therapeutic target to surpass Exemestane-acquired resistance.

Abstract