

# Accepted Manuscript

Thyroid Associated Orbitopathy: When Should We Operate?

Stuart R. Seiff, MD, Lilly H. Wagner, MD

PII: S1091-8531(18)30001-6

DOI: [10.1016/j.jaapos.2017.12.002](https://doi.org/10.1016/j.jaapos.2017.12.002)

Reference: YMPA 2745


To appear in: *Journal of AAPOS*

Received Date: 28 November 2017

Accepted Date: 1 December 2017

Please cite this article as: Seiff SR, Wagner LH, Thyroid Associated Orbitopathy: When Should We Operate?, *Journal of AAPOS* (2018), doi: 10.1016/j.jaapos.2017.12.002.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



<banner>**Symposium**

**Management of Graves Myopathy**

*Thyroid-associated orbitopathy: when should we operate?*

Stuart R. Seiff, MD, and Lilly H. Wagner, MD

*Author affiliations: Department of Ophthalmology, California Pacific Medical Center, San Francisco;  
Department of Ophthalmology, University of California San Francisco*

*Correspondence: Lilly H. Wagner, MD, 2100 Webster Street, #212, San Francisco, CA 94115 (email:  
lilly.wagner@ucsf.edu).*

**Word count: 809**

Download English Version:

<https://daneshyari.com/en/article/8964518>

Download Persian Version:

<https://daneshyari.com/article/8964518>

[Daneshyari.com](https://daneshyari.com)