

## Accepted Manuscript

Modifying Hydrogen Binding Strength of Graphene

Mohammad Panahi , Navid Solati , Sarp Kaya

PII: S0039-6028(18)30502-8  
DOI: <https://doi.org/10.1016/j.susc.2018.08.009>  
Reference: SUSC 21309

To appear in: *Surface Science*

Received date: 12 June 2018  
Revised date: 21 July 2018  
Accepted date: 13 August 2018

Please cite this article as: Mohammad Panahi , Navid Solati , Sarp Kaya , Modifying Hydrogen Binding Strength of Graphene, *Surface Science* (2018), doi: <https://doi.org/10.1016/j.susc.2018.08.009>



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Highlights

- Subsurface alloys modify hydrogenation capacity of supported graphene
- Moiré patterns are critical in hydrogenation of graphene on Pt(111)
- Co embedded in subsurface of Pt(111) reduces the desorption activation barrier of hydrogen on graphene

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/9595013>

Download Persian Version:

<https://daneshyari.com/article/9595013>

[Daneshyari.com](https://daneshyari.com)