

# INDEX TO VOLUME 90

Aeration efficiency and odour generation, effect of pig slurry solids on . . . . .	443	BENNEDESEN, B.S.; PETERSON, D.L. Performance of a system for apple surface defect identification in near-infrared images . . . . .	419
Aerial stereoisimages; creation of three-dimensional crop maps. . . . .	251	BERCKMANS, D. <i>see</i> ÖZCAN, S.E. . . . .	193
AGRAWAL, D.; SINGH, J.K.; KUMAR, A. Maximum entropy-based conditional probability distribution runoff model . . . . .	103	BIGI, A. <i>see</i> PAVANELLI, D. . . . .	75
Agricultural machine, self-propelled, conceptual cab suspension system for—part 2: operator comfort optimisation . . . . .	271	BOON, N.E.; YAHYA, A.; KHEIRALLA, A.F.; WEE, B.S.; GEW, S.K. A tractor-mounted, automated soil penetrometer-shearometer unit for mapping soil mechanical properties. . . . .	381
Agricultural watershed modelling, using remote sensing and a geographic information system. . . . .	331	Bovine milk, deoxyribonucleic acid sensor for the detection of somatic cells in . . . . .	143
AGÜERA, F. <i>see</i> AGUILAR, M.A. . . . .	397	BOŽEK, B. <i>see</i> KURPASKA, S. . . . .	63
AGUILAR, F.J. <i>see</i> AGUILAR, M.A. . . . .	397	BRAVO, C. <i>see</i> XING, J. . . . .	27
AGUILAR, M.A.; AGUILAR, F.J.; AGÜERA, F.; CARVAJAL, F. The evaluation of close-range photogrammetry for the modelling of mouldboard plough surfaces . . . . .	397	BROWN-BRANDL, T.M.; EIGENBERG, RA.; NIENABER, J.A.; HAHN, G.L. Dynamic response indicators of heat stress in shaded and non-shaded feedlot cattle, part 1: analyses of indicators. . . . .	451
Air propagation, contaminant, between naturally ventilated scale model pig buildings under steady-state conditions . . . . .	217	Bruises on 'Golden Delicious' apples, detection using hyperspectral imaging with multiple wavebands . . . . .	27
Air-jet configuration, effect on spray coverage in vineyards. . . . .	173	BU, C. <i>see</i> LUO, W. . . . .	307, 433
Airflow pattern in a mechanically ventilated room with a temperature-based sensor . . . . .	193	Cab suspension system, conceptual, for a self-propelled agricultural machine—part 2: operator comfort optimisation . . . . .	271
ALVAREZ, C.J. <i>see</i> RIVEIRO, J.A. . . . .	477	Carrots subjected to a pulsed electric field pre-treatment, modelling solute aqueous extraction from . . . . .	289
ANTHONIS, J.; AUDENAERT, J.; RAMON, H. Design optimisation for the vertical suspension of a crop sprayer boom . . . . .	153	CARVAJAL, F., <i>see</i> AGUILAR, M.A. . . . .	397
ANTHONIS, J. <i>see</i> DE TEMMERMAN, J. . . . .	271	CASTLE, K. <i>see</i> MOIR, S.E. . . . .	349
ANTHONIS, J. <i>see</i> MOUAZEN, A.M. . . . .	409	Cattle, shaded and non-shaded feedlot, dynamic response indicators of heat stress in, part 1: analyses of indicators . . . . .	451
Antimicrobials, effect of pulsed electric field on the inactivation of microorganisms in grape juices with and without. . . . .	1	Cereal production, low input: cultivation and soil organic matter management in, following the ploughing out of grass leys . . . . .	85
Apple surface defect identification in near-infrared images . . . . .	419	Cereal production, Northern European, applications of spectral reflectance techniques in: a review . . . . .	235
Apples, 'Golden Delicious', detecting bruises using hyperspectral imaging with multiple wavebands . . . . .	27	CHAIBI, M.T.; JILAR, T. Effects of a solar desalination module integrated in a greenhouse roof on light transmission and crop growth . . . . .	319
ARANA, I.; JARÉN, C.; ARAZURI, S. Nectarine woolliness detection by non-destructive mechanical impact . . . . .	37	CHEN, C. Fluorescent lighting distribution for plant micropropagation. . . . .	295
ARAZURI, S. <i>see</i> ARANA, I. . . . .	37	Chillies, crushed, moisture sorption isotherms for . . . . .	47
ARSLAN, N.; TOĞRUL, H. Moisture sorption isotherms for crushed chillies . . . . .	47	Citrus harvester, selective picking head for . . . . .	279
Attenuation of a soil scout radio signal . . . . .	127	CLARK, J. <i>see</i> MOIR, S.E. . . . .	349
AUDENAERT, J. <i>see</i> ANTHONIS, J. . . . .	153	Close-range photogrammetry for the modelling of mouldboard plough surfaces, evaluation . . . . .	397
Automated soil penetrometer-shearometer unit, tractor-mounted, for mapping soil mechanical properties . . . . .	381	Combine harvester, energy requirement model for, part 1: development of component models. . . . .	9
Automatic depth control system for online measurement of spatial variation in soil compaction, part 4: improvement of compaction maps by using a proportional integrative derivative depth controller. . . . .	409	Combine harvester, energy requirement model for, part 2: integration of component models. . . . .	161
BARRAGAN, J.; WU, I.P. Simple pressure parameters for micro-irrigation design . . . . .	463	Compressive loading, fracture resistance of pine nut . . . . .	185
BARUAH, D.C.; PANESAR, B.S. Energy requirement model for combine harvester, part 2: integration of component models . . . . .	161	Conceptual cab suspension system for a self-propelled agricultural machine—part 2: operator comfort optimisation . . . . .	271
BARUAH, D.C.; PANESAR, B.S. Energy requirement model for a combine harvester, part 1: development of component models. . . . .	9	Contaminant air propagation between naturally ventilated scale model pig buildings under steady-state conditions. . . . .	217
		Crop growth, effects of a solar desalination module integrated in a greenhouse roof. . . . .	319

- Crop maps based on aerial stereoisimages, creation of three-dimensional. . . . . 251
- Crop row detection method, stereovision-based, for tractor-automated guidance . . . . . 357
- Crop sprayer boom, vertical suspension, design optimisation . . . . . 153
- CULLOR, J. *see* WU, J.Y. . . . . 143
- Cultivation and soil organic matter management in low input cereal production following the ploughing out of grass leys. . . . . 85
- DAI, J. *see* LUO, W. . . . . 433
- DAI, J. *see* LUO, W. . . . . 307
- DE BAERDEMAEKER, J. *see* XING, J. . . . . 27
- DE TEMMERMAN, J.; DEPRez, K.; HOSTENS, I.; ANTHONIS, J.; RAMON, H. Conceptual cab suspension system for a self-propelled agricultural machine—part 2: operator comfort optimisation . . . . . 271
- DELWICHE, M.J. *see* WU, J.Y. . . . . 143
- Deoxyribonucleic acid sensor for the detection of somatic cells in bovine milk . . . . . 143
- DEPREZ, K. *see* DE TEMMERMAN, J. . . . . 271
- Depth control system, automatic, for online measurement of spatial variation in soil compaction, part 4: improvement of compaction maps by using a proportional integrative derivative depth controller. . . . . 409
- Design optimisation for the vertical suspension of a crop sprayer boom . . . . . 153
- Detecting bruises on 'Golden Delicious' apples using hyperspectral imaging with multiple wavebands . . . . . 27
- Determination of the airflow pattern in a mechanically ventilated room with a temperature-based sensor . . . . . 193
- Dilute farm effluents and dirty water, an experimental plant for testing methods of treating . . . . . 349
- Dynamic response indicators of heat stress in shaded and non-shaded feedlot cattle, part I: analyses of indicators . . . . . 451
- Effluents, dilute farm, and dirty water, an experimental plant for testing methods of treating . . . . . 349
- EIGENBERG, R.A. *see* BROWN-BRANDL, T.M. . . . . 451
- EL-BELGHITI, K.; VOROBIEV, E. Modelling of solute aqueous extraction from carrots subjected to a pulsed electric field pre-treatment. . . . . 289
- Electric cables, sand substrate heated by, modelling the transient thermal behaviour of . . . . . 203
- Electric field, pulsed, pre-treatment: modelling of solute aqueous extraction from carrots subjected to . . . . . 289
- Energy requirement model for a combine harvester, part I: development of component models. . . . . 9
- Energy requirement model for combine harvester, part 2: integration of component models. . . . . 161
- Experimental plant for testing methods of treating dilute farm effluents and dirty water . . . . . 349
- FEIJE DE ZWART, H.F. *see* LUO, W. . . . . 307
- FEIJE DE ZWART, H.F. *see* LUO, W. . . . . 433
- FERNÁNDEZ, M.D.; RODRÍGUEZ, M.R.; MASEDA, F.; VELO, R.; GONZÁLEZ, M.A. Modelling the transient thermal behaviour of sand substrate heated by electric cables . . . . . 203
- Fluorescent lighting distribution for plant micropropagation. . . . . 295
- Forestry land, profitability and production requirements for land use allocation . . . . . 477
- Fractal theory, application to quantify soil aggregate stability as influenced by tillage treatments. . . . . 227
- Fracture resistance of pine nut to compressive loading. . . . . 185
- FRACZEK, J. *see* KURPASKA, S. . . . . 63
- Fruit grading robot, mobile, mapping yield and quality using. . . . . 135
- Geographic information system, modelling of an agricultural watershed using. . . . . 331
- GEW, S.K. *see* BOON, N.E. . . . . 381
- 'Golden Delicious' apples, detecting bruises using hyperspectral imaging with multiple wavebands . . . . . 27
- GONZÁLEZ, M.A. *see* FERNÁNDEZ, M.D. . . . . 203
- Grading robot, mobile fruit, mapping yield and quality using. . . . . 135
- Grape juices, effect of pulsed electric field on the inactivation of microorganisms in, with and without antimicrobials . . . . . 1
- Grass leys, ploughing out of, cultivation and soil organic matter management in low input cereal production. . . . . 85
- Greenhouse management simulation in the subtropics, part I: model validation and scenario study for the winter season. . . . . 307
- Greenhouse management simulation in the subtropics, part II: scenario study for the summer season. . . . . 433
- Greenhouse roof, solar desalination module integrated in, effects on light transmission and crop growth . . . . . 319
- Greenhouse substrate, simulation of heat and moisture transfer in, due to a heating system by buried pipes . . . . . 63
- GRIFFITHS, M.W. *see* WU, Y. . . . . 1
- Growth, crop, effects of a solar desalination module integrated in a greenhouse roof. . . . . 319
- HAHN, G.L. *see* BROWN-BRANDL, T.M. . . . . 451
- HAJABBASI, M.A. *see* PIRMORADIAN, N. . . . . 227
- Harvester, citrus, selective picking head for. . . . . 279
- Harvesting systems review, for oranges. . . . . 115
- Heat and moisture transfer in the greenhouse substrate due to a heating system by buried pipes: simulation . . . . . 63
- Heat stress, dynamic response indicators, in shaded and non-shaded feedlot cattle, part I: analyses of indicators . . . . . 451
- Heating by electric cables, sand substrate, modelling the transient thermal behaviour of . . . . . 203
- Heating system by buried pipes, simulation of heat and moisture transfer in the greenhouse substrate . . . . . 63
- Helicopter, unmanned, remote-sensing technology for vegetation monitoring using . . . . . 369
- HENSHALL, J.K. *see* MCGECHAN, M.B. . . . . 85
- HOSTENS, I. *see* DE TEMMERMAN, J. . . . . 271
- Hyperspectral imaging with multiple wavebands, detecting bruises on 'Golden Delicious' apples . . . . . 27
- IKEGUCHI, A.; OKUSHMA, L.; ZHANG, G.; STROM, J.S. Contaminant air propagation between naturally ventilated scale model pig buildings under steady-state conditions . . . . . 217
- Indirect methods to estimate suspended sediment concentration: reliability and relationship of turbidity and settleable solids . . . . . 75
- ISHII, K. *see* SUGIURA, R. . . . . 369
- JANCSÓK, P.T. *see* XING, J. . . . . 27
- JARÉN, C. *see* ARANA, I. . . . . 37

Download English Version:

<https://daneshyari.com/en/article/9822900>

Download Persian Version:

<https://daneshyari.com/article/9822900>

[Daneshyari.com](https://daneshyari.com)