


Accepted Manuscript

Classification based on the presence of skull fractures on curved maximum intensity skull projections by means of deep learning

Jakob Heimer , Michael J. Thali , Lars Ebert

PII: S2212-4780(18)30054-6
DOI: <https://doi.org/10.1016/j.jofri.2018.08.001>
Reference: JOFRI 296



To appear in: *Journal of Forensic Radiology and Imaging*

Received date: 13 June 2018
Revised date: 26 July 2018
Accepted date: 1 August 2018

Please cite this article as: Jakob Heimer , Michael J. Thali , Lars Ebert , Classification based on the presence of skull fractures on curved maximum intensity skull projections by means of deep learning, *Journal of Forensic Radiology and Imaging* (2018), doi: <https://doi.org/10.1016/j.jofri.2018.08.001>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights:

- Classification based on the presence of skull fractures by means of deep learning is feasible.
- Curved Maximum Intensity Projections compress information for assessment with Deep Learning.
- Deep Learning can be used as a pre-scanning tool in whole-body postmortem radiology.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/9951745>

Download Persian Version:

<https://daneshyari.com/article/9951745>

[Daneshyari.com](https://daneshyari.com)