

Accepted Manuscript

A case study of recurring slope lineae (RSL) at Tivat crater:
Implications for RSL origins


E.I. Schaefer , A.S. McEwen , S.S. Sutton

PII: S0019-1035(18)30013-7
DOI: [10.1016/j.icarus.2018.07.014](https://doi.org/10.1016/j.icarus.2018.07.014)
Reference: YICAR 12963

To appear in: *Icarus*

Received date: 10 January 2018
Revised date: 12 July 2018
Accepted date: 16 July 2018

Please cite this article as: E.I. Schaefer , A.S. McEwen , S.S. Sutton , A case study of recurring slope lineae (RSL) at Tivat crater: Implications for RSL origins, *Icarus* (2018), doi: [10.1016/j.icarus.2018.07.014](https://doi.org/10.1016/j.icarus.2018.07.014)



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights:

- We mapped and analyzed RSL, dust devil tracks, and rockfalls markings at Tivat.
- In two different years, RSL at Tivat fade as their host slopes likely darken.
- This darkening and apparent fading is likely due to the broad removal of dust.
- Fading by dust removal and other observations favor a dry origin for RSL at Tivat.

Download English Version:

<https://daneshyari.com/en/article/9953768>

Download Persian Version:

<https://daneshyari.com/article/9953768>

[Daneshyari.com](https://daneshyari.com)