

Factors influencing the risk for tail lesions in weaner pigs (*Sus scrofa*)


Angelika Grümpel , Joachim Krieter , Christina Veit ,  
Sabine Dippel

PII: S1871-1413(18)30311-1  
DOI: <https://doi.org/10.1016/j.livsci.2018.09.001>  
Reference: LIVSCI 3523

To appear in: *Livestock Science*

Received date: 3 April 2018  
Revised date: 27 August 2018  
Accepted date: 3 September 2018

Please cite this article as: Angelika Grümpel , Joachim Krieter , Christina Veit , Sabine Dippel , Factors influencing the risk for tail lesions in weaner pigs (*Sus scrofa*), *Livestock Science* (2018), doi: <https://doi.org/10.1016/j.livsci.2018.09.001>



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Highlights**

- We identified five factors influencing the risk for tail lesions in weaner pigs
- We can recommend Regression tree analysis for describing tail lesion risk factors
- Data interpretation should include information on correlations between variables

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/9954649>

Download Persian Version:

<https://daneshyari.com/article/9954649>

[Daneshyari.com](https://daneshyari.com)