

## Accepted Manuscript

Use of regional citrate anticoagulation for continuous venovenous hemodialysis in critically ill cancer patients with acute kidney injury


Verônica Torres da Costa e Silva, Renato Antunes Caires, Juliana Silva Bezerra, Elerson C. Costalonga, Ana Paula Leandro Oliveira, Fernanda de Oliveira Coelho, Julia T. Fukushima, Cilene Muniz Soares, Luciane Oikawa, Ludhmila Abrahão Hajjar, Emmanuel A. Burdmann

PII: S0883-9441(17)31930-5  
DOI: doi:[10.1016/j.jcrc.2018.04.006](https://doi.org/10.1016/j.jcrc.2018.04.006)  
Reference: YJCRC 52906

To appear in:

Please cite this article as: Verônica Torres da Costa e Silva, Renato Antunes Caires, Juliana Silva Bezerra, Elerson C. Costalonga, Ana Paula Leandro Oliveira, Fernanda de Oliveira Coelho, Julia T. Fukushima, Cilene Muniz Soares, Luciane Oikawa, Ludhmila Abrahão Hajjar, Emmanuel A. Burdmann , Use of regional citrate anticoagulation for continuous venovenous hemodialysis in critically ill cancer patients with acute kidney injury. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Yjrc(2017), doi:[10.1016/j.jcrc.2018.04.006](https://doi.org/10.1016/j.jcrc.2018.04.006)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Use of Regional Citrate Anticoagulation for Continuous Venovenous Hemodialysis in Critically Ill Cancer Patients with Acute Kidney Injury.

Verônica Torres da Costa e Silva, MD, PhD<sup>1</sup>, Renato Antunes Caires, MD<sup>1</sup>, Juliana Silva Bezerra, RN<sup>1</sup>, Elerson C. Costalonga, MD<sup>1</sup>, Ana Paula Leandro Oliveira, RN<sup>1</sup>, Fernanda de Oliveira Coelho, MD, PhD<sup>1</sup>, Julia T. Fukushima<sup>2</sup>, Cilene Muniz Soares, RN<sup>1</sup>, Luciane Oikawa, RN<sup>1</sup>, Ludhmila Abrahão Hajjar, MD, PhD<sup>2</sup>, Emmanuel A. Burdmann, MD, PhD<sup>1,3</sup>.

<sup>1</sup>Nephrology Division, Sao Paulo State Cancer Institute, University of Sao Paulo Medical School, Sao Paulo, Sao Paulo, Brazil.

<sup>2</sup>Intensive Care Unit Department, Sao Paulo State Cancer Institute, University of Sao Paulo School Medical School, Sao Paulo, Sao Paulo, Brazil. Address (1 and 2): Av. Dr. Arnaldo, 251 – 2º Andar, Hemodiálise, São Paulo, SP, Brazil – CEP 01246-000. Phone: 55-11-38932332.

<sup>3</sup>LIM 12, Division of Nephrology, University of Sao Paulo Medical School, Sao Paulo, Sao Paulo, Brazil. Address (3): Av. Dr. Arnaldo, 455 – 3º Andar, sala 3310 (LIM 12), São Paulo, SP, Brazil – CEP 01246-903. Phone: 55-11-30617343.

**Corresponding author:** Verônica Torres da Costa e Silva, MD, PhD

Instituto do Câncer do Estado de São Paulo, Av. Dr. Arnaldo, 251 – 2º Andar, Hemodiálise, São Paulo, SP, Brazil – CEP 01246-000. Phone: 55-11-38932332. E-mail: veronica.silva@hc.fm.usp.br

**This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors. The authors have disclosed that they do not have any conflicts of interest.**

Download English Version:

<https://daneshyari.com/en/article/9955208>

Download Persian Version:

<https://daneshyari.com/article/9955208>

[Daneshyari.com](https://daneshyari.com)