


## Accepted Manuscript

Magnoflorine with hyaluronic acid gel promotes subchondral bone regeneration and attenuates cartilage degeneration in early osteoarthritis

Zhe Cai, Yu Feng, Chentian Li, Kedi Yang, Tianhao Sun, Lei Xu, Yan Chen, Chun-Hoi Yan, William Weijia Lu, Kwong-Yuen Chiu



PII: S8756-3282(18)30320-X  
DOI: doi:[10.1016/j.bone.2018.08.015](https://doi.org/10.1016/j.bone.2018.08.015)  
Reference: BON 11732  
To appear in: *Bone*  
Received date: 7 June 2018  
Revised date: 15 August 2018  
Accepted date: 22 August 2018

Please cite this article as: Zhe Cai, Yu Feng, Chentian Li, Kedi Yang, Tianhao Sun, Lei Xu, Yan Chen, Chun-Hoi Yan, William Weijia Lu, Kwong-Yuen Chiu , Magnoflorine with hyaluronic acid gel promotes subchondral bone regeneration and attenuates cartilage degeneration in early osteoarthritis. *Bone* (2018), doi:[10.1016/j.bone.2018.08.015](https://doi.org/10.1016/j.bone.2018.08.015)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Magnoflorine with hyaluronic acid gel promotes subchondral bone regeneration and attenuates cartilage degeneration in early osteoarthritis**

**Zhe Cai<sup>a,1</sup>, Yu Feng<sup>b,1</sup>, Chentian Li<sup>a</sup>, Kedi Yang<sup>a</sup>, Tianhao Sun<sup>a</sup>, Lei Xu<sup>a</sup>, Yan Chen<sup>c</sup>, Chun-Hoi Yan<sup>a</sup>, William Weijia Lu<sup>a,d,\*</sup> and Kwong-Yuen Chiu<sup>a,\*</sup>**

<sup>a</sup> Department of Orthopaedics and Traumatology, Li Ka Shing Faculty of Medicine, The University of Hong Kong, Hong Kong;

<sup>b</sup> Department of Traumatology, General Hospital of Ningxia Medical University, Yinchuan, Ningxia Hui Autonomous Region, China;

<sup>c</sup> Department of Bone and Joint Surgery, the First Affiliated Hospital of Guangxi Medical University, Nanning, Guangxi, China;

<sup>d</sup> Shenzhen Institutes of Advanced Technology, Chinese Academy of Science, Shenzhen, China.

<sup>1</sup> **These authors contribute equally to this work**

**\*Correspondence to:**

Professor Lu Weijia William, Room 904, Department of Orthopaedics and Traumatology, The University of Hong Kong, Hong Kong. Email: wwlu@hku.hk.

Professor Chiu Kwong-Yuen Peter, Room 216, New Clinical Building, Queen Mary Hospital, Pokfulam, Hong Kong. Email: pkychiu@hku.hk.

Download English Version:

<https://daneshyari.com/en/article/9955229>

Download Persian Version:

<https://daneshyari.com/article/9955229>

[Daneshyari.com](https://daneshyari.com)