

Accepted Manuscript

Nano-sized emission from commercially available paints used for indoor surfaces during drying

Rikke Bramming Jørgensen, Ingrid Grav Hveding, Karoline Solheim



PII: S0045-6535(17)31442-X

DOI: 10.1016/j.chemosphere.2017.09.028

Reference: CHEM 19899

To appear in: *Chemosphere*

Received Date: 27 March 2017

Revised Date: 25 August 2017

Accepted Date: 07 September 2017

Please cite this article as: Rikke Bramming Jørgensen, Ingrid Grav Hveding, Karoline Solheim, Nano-sized emission from commercially available paints used for indoor surfaces during drying, *Chemosphere* (2017), doi: 10.1016/j.chemosphere.2017.09.028

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights:

- We present a test-chamber study of the nano-sized emission from paints.
- The results show differences in emissions between solvent-borne and water-borne paints.
- No emission of Carbon Black nanoparticles from indoor paints was found.
- Due to a short emission period, low exposure to nano-sized emission was found.

Download English Version:

<https://daneshyari.com/en/article/5745878>

Download Persian Version:

<https://daneshyari.com/article/5745878>

[Daneshyari.com](https://daneshyari.com)