

Accepted Manuscript

Attention Allocation for Human Multi-Robot Control: Cognitive Analysis based on Behavior Data and Hidden States

Shih-Yi Chien , Yi-Ling Lin , Pei-Ju Lee , Shuguang Han , Michael Lewis , Katia Sycara

PII: S1071-5819(18)30096-X
DOI: [10.1016/j.ijhcs.2018.03.005](https://doi.org/10.1016/j.ijhcs.2018.03.005)
Reference: YIJHC 2195



To appear in: *International Journal of Human-Computer Studies*

Received date: 1 June 2017
Revised date: 3 March 2018
Accepted date: 18 March 2018

Please cite this article as: Shih-Yi Chien , Yi-Ling Lin , Pei-Ju Lee , Shuguang Han , Michael Lewis , Katia Sycara , Attention Allocation for Human Multi-Robot Control: Cognitive Analysis based on Behavior Data and Hidden States, *International Journal of Human-Computer Studies* (2018), doi: [10.1016/j.ijhcs.2018.03.005](https://doi.org/10.1016/j.ijhcs.2018.03.005)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Hidden Markov Model can effectively identify users' cognitive states and intentions
- System reliability is not the major factor to find more victims
- Attention can be efficiently directed for failures resolved but victim detection
- Users have different strategies to allocate attention in two scheduling schemes

Download English Version:

<https://daneshyari.com/en/article/6860947>

Download Persian Version:

<https://daneshyari.com/article/6860947>

[Daneshyari.com](https://daneshyari.com)