

Accepted Manuscript

Differences in atypical resting-state effective connectivity distinguish autism from schizophrenia

Dana Mastrovito, Catherine Hanson, Stephen Jose Hanson



PII: S2213-1582(18)30014-7
DOI: <https://doi.org/10.1016/j.nicl.2018.01.014>
Reference: YNICKL 1266
To appear in: *NeuroImage: Clinical*
Received date: 16 July 2017
Revised date: 8 January 2018
Accepted date: 15 January 2018

Please cite this article as: Dana Mastrovito, Catherine Hanson, Stephen Jose Hanson , Differences in atypical resting-state effective connectivity distinguish autism from schizophrenia. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Ynicl(2017), <https://doi.org/10.1016/j.nicl.2018.01.014>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Differences in Atypical Resting-state Effective Connectivity Distinguish Autism from
Schizophrenia

Dana Mastrovito ^{1*} dana.mastrovito@rutgers.edu 1-(215)-499-6043

Catherine Hanson, PhD ¹ cat@rubic.rutgers.edu

Stephen Jose Hanson, PhD ¹ jose@rubic.rutgers.edu

¹ Rutgers University 195 University Ave, Newark, NJ 07102 Newark, NJ

Keywords: Schizophrenia, Autism, resting state, classification, connectivity, fMRI, default
mode network

Download English Version:

<https://daneshyari.com/en/article/8687849>

Download Persian Version:

<https://daneshyari.com/article/8687849>

[Daneshyari.com](https://daneshyari.com)